

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

CHEMISTRY

5070/22

Paper 2 Theory

October/November 2018

1 hour 30 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Section A

Answer **all** questions.

Write your answers in the spaces provided in the Question Paper.

Section B

Answer any **three** questions.

Write your answers in the spaces provided in the Question Paper.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.


This document consists of **18** printed pages and **2** blank pages.

Section A

Answer **all** the questions in this section in the spaces provided.

The total mark for this section is 45.

1 The electronic configurations of five atoms are shown.



(a) Which electronic configuration represents each of the following descriptions?

Each electronic configuration may be used once, more than once or not at all.

(i) a sulfur atom

.....[1]

(ii) a metal atom

.....[1]

(iii) an atom with a proton number of 14

.....[1]

(iv) an atom of a noble gas with three occupied electron shells

.....[1]

(v) an atom which forms a noble gas electronic configuration when it loses two electrons

.....[1]

(b) The element germanium has five naturally occurring isotopes.

An isotope of germanium is represented by the symbol shown.



(i) What is the meaning of the term *isotopes*?


.....
.....[1]

(ii) Deduce the number of neutrons in one atom of this isotope of germanium.

.....[1]

[Total: 7]

2 Magnesium reacts with aqueous copper(II) sulfate.



(a) (i) Explain by referring to the equation, why this is a redox reaction.

.....
[2]

(ii) Construct the ionic equation for this reaction.

.....[1]

(b) Pure copper can be made by the electrolysis of aqueous copper(II) sulfate, using one pure copper electrode and one impure copper electrode.

Draw a labelled diagram of this electrolysis.

[3]

(c) What observations are made when adding aqueous ammonia to a solution containing copper(II) ions, slowly with mixing, until no further change occurs?

.....

[2]

(d) Blocks of magnesium are attached to underground pipes made of iron to stop them rusting.


Explain how the magnesium stops the pipes rusting.

.....

[2]

[Total: 10]

3 The structure of fumaric acid is shown.



(a) How does this structure show that fumaric acid is an unsaturated compound?


.....[1]

(b) Fumaric acid is oxidised by acidified aqueous potassium manganate(VII).

What colour change would you observe in the reaction mixture when excess aqueous fumaric acid is added to acidified aqueous potassium manganate(VII)?

from to[2]

(c) Fumaric acid is neutralised by aqueous sodium hydroxide.



(i) Write the ionic equation for this reaction.

.....[1]

(ii) Calculate the volume of 0.0500 mol/dm^3 sodium hydroxide required to neutralise 20.0 cm^3 of 0.0200 mol/dm^3 fumaric acid.

Give your answer to **three** significant figures.

volume cm^3 [3]

[Total: 7]

4 The alkenes are a homologous series of unsaturated hydrocarbons.

(a) Describe two characteristics of a homologous series.

1.

2.

[2]

(b) Construct the equation for the complete combustion of butene, C_4H_8 .

.....[2]

(c) Draw the structure of a branched alkene with the formula C_4H_8 . Show all of the atoms and all of the bonds.

[1]

(d) Butene reacts with hydrogen in the presence of nickel.

(i) Name the product formed.

.....[1]

(ii) What is the purpose of the nickel?

.....[1]

(iii) State one other condition needed for this reaction.

.....[1]

(e) A hydrocarbon contains 85.7% carbon by mass.

(i) Deduce the empirical formula of this hydrocarbon.

[2]

(ii) What other piece of information is needed to deduce the molecular formula of this hydrocarbon?

.....[1]

[Total: 11]

5 The Periodic Table is an arrangement of elements in groups and periods.

(a) What are the factors that determine the position of an element in the Periodic Table?

.....

 [2]

(b) Phosphorus is an element in Group V of the Periodic Table.

Deduce the electronic configuration of a phosphide ion, P^{3-} .

..... [1]

(c) Phosphine, PH_3 , is a covalent compound.

(i) Draw a 'dot-and-cross' diagram of phosphine.

Only draw the outer shell electrons.

[2]

(ii) Some properties of phosphine are listed.

- gas at room temperature
- almost insoluble in water
- reacts with hydrogen chloride
- has no effect on litmus paper
- decomposes to form hydrogen and phosphorus only when warmed gently

Describe two ways in which the properties of ammonia are **different** from those of phosphine.

1.
 2. [2]

(iii) Construct the equation for the thermal decomposition of phosphine.

..... [1]

(iv) Describe and explain the difference in the rate of diffusion of the gases ammonia and phosphine at the same temperature and pressure.

.....
.....
.....[1]

(v) Phosphine burns in oxygen to form phosphorus(V) oxide.

Is phosphorus(V) oxide an acidic, basic or amphoteric oxide? Give a reason for your answer.

.....
.....[1]

[Total: 10]

Section B

Answer **three** questions from this section in the spaces provided.

The total mark for this section is 30.

6 Some properties of Group VI elements are shown.

element	density at room temperature in g/cm ³	melting point /°C	boiling point /°C	electrical conductivity of solid
oxygen	0.0013	-219	-183	very poor
sulfur	2.1	115	445	poor
selenium		221	685	poor
tellurium	6.2	450	988	quite good
polonium	9.2	254	962	good

(a) (i) Use the information in the table to suggest the density of selenium at room temperature.

.....[1]

(ii) Use the information in the table to deduce the physical state of oxygen at -190 °C.

Explain your answer.

physical state

explanation

.....[2]

(b) (i) Describe the trend in the electrical conductivity of the Group VI elements.

.....

.....[1]

(ii) There is a trend in the melting points of the Group VI elements.

Which element does not follow this trend?

Use the data in the table to explain your answer.

element

explanation

.....[1]

(c) Use the information in the table to explain how the structure and bonding in oxygen differs from the structure and bonding in polonium.

.....
.....
.....
.....[2]

(d) Sulfur dioxide is an atmospheric pollutant.

(i) State one source of the sulfur dioxide in the atmosphere.

.....[1]

(ii) Describe and explain how sulfur dioxide contributes to acid rain.

.....
.....
.....[2]

[Total: 10]

7 Plants remove carbon dioxide from the air during photosynthesis.

(a) (i) Complete the equation for photosynthesis.



(ii) State two conditions required for photosynthesis to happen.

1.

2. [2]

(iii) Explain how photosynthesis can provide a renewable energy source.

.....

..... [1]

(b) The structure of a simple sugar is shown.



Starch is made by the polymerisation of simple sugars.

During this polymerisation, water is formed.

(i) What type of polymerisation occurs?

..... [1]

(ii) Draw the partial structure of starch.


You must show at least two repeat units.

[2]

(iii) Name the process by which starch is converted into simple sugars.

..... [1]

(c) The partial structure of poly(lactic acid) is shown.



On the diagram, draw a ring around all of the atoms in one ester linkage.


[1]

[Total: 10]

8 Bismuth is a metallic element in Group V of the Periodic Table.

(a) Complete the diagram to show the structure and bonding in a typical metal.

Label your diagram.



[2]

(b) Describe three physical properties which are typical of most metals.

1.

2.

3.

[2]


(c) Bismuth reacts with chlorine to form bismuth(III) chloride, BiCl_3 .

Construct the equation for this reaction.

.....[1]

(d) When bismuth reacts with molten bismuth(III) chloride, an ion is formed.


The structure of this ion is shown.



Write the formula of this ion.

.....[1]

- (e) A white precipitate of BiOCl is formed when colourless BiCl_3 is added to water.



- (i) Describe and explain what you would observe when a few drops of concentrated hydrochloric acid are added to this mixture.

.....
.....
.....[2]

- (ii) Suggest why a change in pressure has no effect on the reaction shown.

.....[1]


- (f) Bismuth is used in alloys.

What is the meaning of the term *alloy*?

.....
.....[1]

[Total: 10]

- 9 Sulfuric acid reacts with zinc to form zinc sulfate and hydrogen.



- (a) Describe and explain, using ideas about collisions between particles, how the rate of this reaction changes when the concentration of sulfuric acid is increased.

All other conditions stay the same.

.....

[2]

- (b) Describe and explain, using ideas about collisions between particles, how the rate of this reaction changes when the temperature is decreased.


All other conditions stay the same.

.....

[2]

- (c) The reaction of zinc with sulfuric acid is exothermic.

Complete the energy profile diagram for this reaction to show the enthalpy change.



[2]

- (d) Calculate the maximum volume of hydrogen, in dm^3 , formed when 4.55g of zinc reacts with excess sulfuric acid at room temperature and pressure.

volume dm^3 [2]

- (e) The formula of zinc phosphate is $\text{Zn}_3(\text{PO}_4)_2$.

Calculate the percentage by mass of zinc in zinc phosphate.

..... % [2]

[Total: 10]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

		Group																																																				
I	II	III	IV	V	VI	VII	VIII																																															
3 Li lithium 7	4 Be beryllium 9	1 H hydrogen 1	5 B boron 11	6 C carbon 12	7 N nitrogen 14	8 O oxygen 16	9 F fluorine 19	10 Ne neon 20																																														
11 Na sodium 23	12 Mg magnesium 24	Key atomic number atomic symbol name relative atomic mass																																																				
19 K potassium 39	20 Ca calcium 40											13 Al aluminium 27	14 Si silicon 28	15 P phosphorus 31	16 S sulfur 32	17 Cl chlorine 35.5	18 Ar argon 40																																					
37 Rb rubidium 85	38 Sr strontium 88	21 Sc scandium 45	22 Ti titanium 48	23 V vanadium 51	24 Cr chromium 52	25 Mn manganese 55	26 Fe iron 56	27 Co cobalt 59	28 Ni nickel 59	29 Cu copper 64	30 Zn zinc 65	31 Ga gallium 70	32 Ge germanium 73	33 As arsenic 75	34 Se selenium 79	35 Br bromine 80	36 Kr krypton 84																																					
55 Cs caesium 133	56 Ba barium 137	39 Y yttrium 89	40 Zr zirconium 91	41 Nb niobium 93	42 Mo molybdenum 96	43 Tc technetium —	44 Ru ruthenium 101	45 Rh rhodium 103	46 Pd palladium 106	47 Ag silver 108	48 Cd cadmium 112	49 In indium 115	50 Sn tin 119	51 Sb antimony 122	52 Te tellurium 128	53 I iodine 127	54 Xe xenon 131	55 La lanthanoids 57–71	56 Ce actinoids 89–103	57 Rn radon —																																		
87 Fr francium —	88 Ra radium —	72 Hf hafnium 178	73 Ta tantalum 181	74 W tungsten 184	75 Re rhenium 186	76 Os osmium 190	77 Ir iridium 192	78 Pt platinum 195	79 Au gold 197	80 Hg mercury 201	81 Tl thallium 204	82 Pb lead 207	83 Bi bismuth 209	84 Po polonium —	85 At astatine —	86 Rn radon —	87 La lanthanoids 57–71	88 Ce actinoids 89–103	89 Ac actinium —																																			
		79 Co cobalt 59	80 Ni nickel 59	81 Cu copper 64	82 Zn zinc 65	83 Ga gallium 70	84 Ge germanium 73	85 As arsenic 75	86 Se selenium 79	87 Br bromine 80	88 Kr krypton 84	89 Rb rubidium 85	90 Sr strontium 88	91 Y yttrium 89	92 Zr zirconium 91	93 Nb niobium 93	94 Mo molybdenum 96	95 Tc technetium —	96 Ru ruthenium 101	97 Rh rhodium 103	98 Pd palladium 106	99 Ag silver 108	100 Cd cadmium 112	101 In indium 115	102 Sn tin 119	103 Sb antimony 122	104 Te tellurium 128	105 I iodine 127	106 Xe xenon 131	107 La lanthanoids 57–71	108 Ce actinoids 89–103	109 Ac actinium —																						
		105 Bi bismuth 209	106 Po polonium —	107 At astatine —	108 Rn radon —	109 Fr francium —	110 Ra radium —	111 Ac actinium —	112 Th thorium 232	113 Pa protactinium 231	114 U uranium 238	115 Np neptunium —	116 Pu plutonium —	117 Am americium —	118 Cm curium —	119 Bk berkelium —	120 Cf californium —	121 Es einsteinium —	122 Fm fermium —	123 Md mendelevium —	124 No nobelium —	125 Lr lawrencium —	126 Lu lutetium 175	127 Hf hafnium 178	128 Ta tantalum 181	129 W tungsten 184	130 Re rhenium 186	131 Os osmium 190	132 Ir iridium 192	133 Pt platinum 195	134 Au gold 197	135 Hg mercury 201	136 Tl thallium 204	137 Pb lead 207	138 Bi bismuth 209	139 Po polonium —	140 At astatine —	141 Rn radon —																
		145 Fr francium —	146 Ra radium —	147 Ac actinium —	148 Th thorium 232	149 Pa protactinium 231	150 U uranium 238	151 Np neptunium —	152 Pu plutonium —	153 Am americium —	154 Cm curium —	155 Bk berkelium —	156 Cf californium —	157 Es einsteinium —	158 Fm fermium —	159 Md mendelevium —	160 No nobelium —	161 Lr lawrencium —	162 Lu lutetium 175	163 Hf hafnium 178	164 Ta tantalum 181	165 W tungsten 184	166 Re rhenium 186	167 Os osmium 190	168 Ir iridium 192	169 Pt platinum 195	170 Au gold 197	171 Hg mercury 201	172 Tl thallium 204	173 Pb lead 207	174 Bi bismuth 209	175 Po polonium —	176 At astatine —	177 Rn radon —																				
		175 Lu lutetium 175	176 Hf hafnium 178	177 Ta tantalum 181	178 W tungsten 184	179 Re rhenium 186	180 Os osmium 190	181 Ir iridium 192	182 Pt platinum 195	183 Au gold 197	184 Hg mercury 201	185 Tl thallium 204	186 Pb lead 207	187 Bi bismuth 209	188 Po polonium —	189 At astatine —	190 Rn radon —	191 Fr francium —	192 Ra radium —	193 Ac actinium —	194 Th thorium 232	195 Pa protactinium 231	196 U uranium 238	197 Np neptunium —	198 Pu plutonium —	199 Am americium —	200 Cm curium —	201 Bk berkelium —	202 Cf californium —	203 Es einsteinium —	204 Fm fermium —	205 Md mendelevium —	206 No nobelium —	207 Lr lawrencium —	208 Lu lutetium 175	209 Hf hafnium 178	210 Ta tantalum 181	211 W tungsten 184	212 Re rhenium 186	213 Os osmium 190	214 Ir iridium 192	215 Pt platinum 195	216 Au gold 197	217 Hg mercury 201	218 Tl thallium 204	219 Pb lead 207	220 Bi bismuth 209	221 Po polonium —	222 At astatine —	223 Rn radon —				
		215 Lu lutetium 175	216 Hf hafnium 178	217 Ta tantalum 181	218 W tungsten 184	219 Re rhenium 186	220 Os osmium 190	221 Ir iridium 192	222 Pt platinum 195	223 Au gold 197	224 Hg mercury 201	225 Tl thallium 204	226 Pb lead 207	227 Bi bismuth 209	228 Po polonium —	229 At astatine —	230 Rn radon —	231 Fr francium —	232 Ra radium —	233 Ac actinium —	234 Th thorium 232	235 Pa protactinium 231	236 U uranium 238	237 Np neptunium —	238 Pu plutonium —	239 Am americium —	240 Cm curium —	241 Bk berkelium —	242 Cf californium —	243 Es einsteinium —	244 Fm fermium —	245 Md mendelevium —	246 No nobelium —	247 Lr lawrencium —	248 Lu lutetium 175	249 Hf hafnium 178	250 Ta tantalum 181	251 W tungsten 184	252 Re rhenium 186	253 Os osmium 190	254 Ir iridium 192	255 Pt platinum 195	256 Au gold 197	257 Hg mercury 201	258 Tl thallium 204	259 Pb lead 207	260 Bi bismuth 209	261 Po polonium —	262 At astatine —	263 Rn radon —				
		255 Lu lutetium 175	256 Hf hafnium 178	257 Ta tantalum 181	258 W tungsten 184	259 Re rhenium 186	260 Os osmium 190	261 Ir iridium 192	262 Pt platinum 195	263 Au gold 197	264 Hg mercury 201	265 Tl thallium 204	266 Pb lead 207	267 Bi bismuth 209	268 Po polonium —	269 At astatine —	270 Rn radon —	271 Fr francium —	272 Ra radium —	273 Ac actinium —	274 Th thorium 232	275 Pa protactinium 231	276 U uranium 238	277 Np neptunium —	278 Pu plutonium —	279 Am americium —	280 Cm curium —	281 Bk berkelium —	282 Cf californium —	283 Es einsteinium —	284 Fm fermium —	285 Md mendelevium —	286 No nobelium —	287 Lr lawrencium —	288 Lu lutetium 175	289 Hf hafnium 178	290 Ta tantalum 181	291 W tungsten 184	292 Re rhenium 186	293 Os osmium 190	294 Ir iridium 192	295 Pt platinum 195	296 Au gold 197	297 Hg mercury 201	298 Tl thallium 204	299 Pb lead 207	300 Bi bismuth 209	301 Po polonium —	302 At astatine —	303 Rn radon —				
		305 Lu lutetium 175	306 Hf hafnium 178	307 Ta tantalum 181	308 W tungsten 184	309 Re rhenium 186	310 Os osmium 190	311 Ir iridium 192	312 Pt platinum 195	313 Au gold 197	314 Hg mercury 201	315 Tl thallium 204	316 Pb lead 207	317 Bi bismuth 209	318 Po polonium —	319 At astatine —	320 Rn radon —	321 Fr francium —	322 Ra radium —	323 Ac actinium —	324 Th thorium 232	325 Pa protactinium 231	326 U uranium 238	327 Np neptunium —	328 Pu plutonium —	329 Am americium —	330 Cm curium —	331 Bk berkelium —	332 Cf californium —	333 Es einsteinium —	334 Fm fermium —	335 Md mendelevium —	336 No nobelium —	337 Lr lawrencium —	338 Lu lutetium 175	339 Hf hafnium 178	340 Ta tantalum 181	341 W tungsten 184	342 Re rhenium 186	343 Os osmium 190	344 Ir iridium 192	345 Pt platinum 195	346 Au gold 197	347 Hg mercury 201	348 Tl thallium 204	349 Pb lead 207	350 Bi bismuth 209	351 Po polonium —	352 At astatine —	353 Rn radon —				

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
actinoids	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).