

Hormonal communication

Question Paper 2

| Level | A Level |
|------------|---------------------------------------|
| Subject | Biology |
| Exam Board | OCR |
| Module | Communication, homeostasis and energy |
| Topic | Hormonal communication |
| Booklet | Question Paper 2 |

Time allowed: 43 minutes

Score: /32

Percentage: /100

Grade Boundaries:

| A* | A | В | С | D | E |
|------|-----|-----|-----|-----|-----|
| >69% | 56% | 50% | 42% | 34% | 26% |

1

Question 1



- (a) A doctor arranged for a 59-year-old patient to have a series of blood tests. One of these tests was to determine the patient's 'fasting blood glucose' concentration.
 - The result of this test indicates whether or not the patient's blood glucose concentration is being regulated within the normal range.
 - The validity of the result relies on the patient not having eaten for at least eight hours before the test.
 - The patient confirmed to the doctor that he had not eaten since the previous evening.
 - (i) What condition was being tested for in this 59-year-old patient? [1]
 - (ii) Why was it important that the patient had not eaten for at least eight hours before the test? [1]
 - (iii) The result of the patient's fasting blood glucose test was 7.0 mmol dm⁻³.

The upper limit for 'normal' blood glucose concentration is considered to be 5.9 mmol dm⁻³.

Calculate the percentage by which this patient's blood glucose concentration is higher than the upper limit for normal concentration.

Show your working. Give your answer to one decimal place. [2]

- (b) The patient was sent for a further blood test, known as the haemoglobin A1C (HbA1C) test.
 - Glucose combines with haemoglobin in the bloodstream to form a 'glycosylated haemoglobin' molecule, HbA1C.
 - The concentration of HbA1C is directly proportional to the mean concentration of glucose in the blood over an eight to twelve week period.

Suggest why a single HbA1C test cannot indicate accurately the mean blood glucose concentration for a period longer than twelve weeks.

| (c) | The result of the patient's fasting blood glucose test showed a blood glucose concentration |
|-----|---|
| | higher than the normal range even though the patient had not eaten food for at least eight |
| | hours before providing a blood sample. |

The result of the patient's HbA1C test indicated that his mean blood glucose concentration had been within the normal range for the previous eight to twelve weeks.

| buggest an explanation for the patients high value for the lasting blood gladese test. | Suggest an explanation for the patie | ent's high value for the fa s | sting blood glucose test. | [1] |
|--|--------------------------------------|--------------------------------------|---------------------------|-----|
|--|--------------------------------------|--------------------------------------|---------------------------|-----|

- (d) Another patient shows severe symptoms of unregulated blood glucose concentration. Under certain circumstances this condition may need to be treated with glucagon injections.
 - (i) Under what circumstances might this patient need to be given a glucagon injection?

[1]

(ii) Describe how glucagon is involved in the regulation of blood glucose concentration in a person who is able to regulate their blood glucose concentration correctly.



In your answer, you should use appropriate technical terms, spelled correctly.

[5]

[Total: 13]



Organisms respond to changes in their internal environment. These responses are controlled by nervous and hormonal mechanisms.

| (a) | The concentration of blood glucose is regulated by hormones. | | |
|---|--|--------|--|
| Complete the passage below, using the most suitable term in each case. | | | |
| | The pancreas releases hormones directly into the blood and these regulate the | | |
| | concentration of blood glucose. The pancreas, therefore, acts as an | | |
| | gland. | | |
| | When the blood glucose concentration increases, insulin is released from the beta | | |
| | cells in the regions of the pancreas known as the | | |
| | | | |
| | A different hormone, glucagon, is released from the alpha cells of the pancreas and this | | |
| | hormone causes to be broken down into glucose, | | |
| | in a process known as | [4] | |
| | | | |
| | | | |
| (b) | The heart rate is controlled by both nervous and hormonal mechanisms. | | |
| | (i) Name one hormone which will increase the heart rate. | [1] | |
| | | | |
| | | | |
| | | | |
| | (ii) State one way in which the nervous system decreases the heart rate. | [1] | |
| | [Tota | al: 6] | |

(a) The pancreas is an unusual gland as it is both an endocrine and an exocrine gland.

Fig. 4.1, **on the insert**, shows a group of cells in the pancreas.




Fig. 4.1

(i) State the name given to the group of cells labelled ${\bf X}$.

[1]

(ii) Describe the different ways in which the pancreas acts as both an endocrine and an exocrine gland.



In your answer, you should use appropriate technical terms, spelt correctly. [5]

| (b | | | /pe of cell in the pancreas is responsible for secreting insulin. I in the secretion of insulin are listed below. | The various |
|--------|----------|---------|--|-------------|
| | | Α | Glucose is phosphorylated and metabolised to produce ATP | |
| | | В | Potassium channels open, allowing potassium ions to diffuse out of the cell | |
| | | С | The change in voltage across the membrane causes calcium channels to open | |
| | | D | Glucose enters the cell | |
| | | E | The movement of ions results in a potential difference across the cell surface membrane of –70 mV | |
| | | F | Calcium ions diffuse into the cell | |
| | | G | The presence of extra ATP causes the potassium channels to close | |
| | | Н | The membrane potential changes to –30 mV | |
| | | J | The calcium ions cause the vesicles to fuse with the membrane and release insulin | |
| | _ | e the f | ollowing list by placing the events in the correct order. | [4] |
| (c) (i | | | antages of treating Type 1 diabetes by using insulin that has be modified bacteria rather than insulin that has been extracted f | |
| (ii) | | | atment for Type 1 diabetes is the use of stem cells. | |
| | State an | ı advaı | ntage of this form of treatment compared to treatment using ir | |
| | | | | [Total: 13] |