

Mark Scheme (Results)

Summer 2019

Pearson Edexcel GCSE

Combined Science Paper 1SC0_2PH

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2019
Publications Code 1SC0_2PH_1906_MS
All the material in this publication is copyright
© Pearson Education Ltd 2019

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Mark schemes have been developed so that the rubrics of each mark scheme reflects the characteristics of the skills within the AO being targeted and the requirements of the command word. So for example the command word 'Explain' requires an identification of a point and then reasoning/justification of the point.

Explain questions can be asked across all AOs. The distinction comes whether the identification is via a judgment made to reach a conclusion, or, making a point through application of knowledge to reason/justify the point made through application of understanding. It is the combination and linkage of the marking points that is needed to gain full marks.

When marking questions with a 'describe' or 'explain' command word, the detailed marking guidance below should be consulted to ensure consistency of marking.

Assessment Objective		Command Word	
Strand	Element	Describe	Explain
AO1		An answer that combines the marking points to provide a logical description	An explanation that links identification of a point with reasoning/justification(s) as required
AO2		An answer that combines the marking points to provide a logical description, showing application of knowledge and understanding	An explanation that links identification of a point (by applying knowledge) with reasoning/justification (application of understanding)
AO3	1a and 1b	An answer that combines points of interpretation/evaluation to provide a logical description	
AO3	2a and 2b		An explanation that combines identification via a judgment to reach a conclusion via justification/reasoning
AO3	3a	An answer that combines the marking points to provide a logical description of the plan/method/experiment	
AO3	3b		An explanation that combines identifying an improvement of the experimental procedure with a linked justification/reasoning

Question Number:	Answer	Mark
1(a)	The only correct answer is B : work done= force x distance moved in direction of force	(1)
	A is incorrect because the equation would be dimensionally inconsistent	
	C is incorrect because the equation would be dimensionally inconsistent	
	D is incorrect because the direction of the distance moved is incorrect	

Question Number:	Answer	Additional guidance	Mark
1(b)(i)	substitution (1) (ΔGPE=) (0.0)46×10×2.05	allow g=9.8(1) m/s ²	(2)
	evaluation (1)		
	0.94(3) (J)	0.9 (J) values that round to 0.92 or 0.93 (from using g = 9.8 or 9.81)	
		do not award for 1(J)	
		no POT error in evaluation	
		award full marks for the correct answer without working.	

Question Number:	Answer	Additional guidance	Mark
1(b)(ii)	recall (1) (KE=) $\frac{1}{2}$ × m × v ² substitution (1) (KE=) $\frac{1}{2}$ × (0.0)46 × 3.5 ²		(3)
	evaluation (1) 0.28 (J)	allow answers that round to 0.28 e.g. 0.28175 (J)	
		allow max 2 marks for POT error e.g. 0.00028	
		award full marks for the correct answer without working	

Question	Answer	Additional guidance	Mark
Number			
1(b)(iii)	Any value between 0.8 (m) and 0.95 (m) inclusive		(1)

Question Number	Answer	Additional guidance	Mark
1(b)(iv)	An explanation linking		(2)
	(the ball) has lost energy (1)		
		accept	
	identification of what has	(energy) dissipated	
	happened to that energy (1)	or (transferred to)	
		surroundings / ground	
		or	
		thermal energy	
		or	
		heat / sound	
		or	
		system is not 100% efficient	
		or	
		bounce is not (100%)	
		elastic	
		or	
		squashing (the ball or the ground)	

(Total for Question 1 = 9 marks)

Question Number	Answer	Mark
2(a)	A is incorrect because that is the symbol for a diode B is incorrect because that is the symbol for a light dependent resistor C is incorrect because that is a symbol for a motor	(1)

Question Number	Answer	Additional guidance	Mark
2(b)(i)	recall and substitution into V = IR (1) $5.0 = 0.26 \times R$	accept substitution and rearrangement in either order	(3)
	rearrangement (1) $(R=) \frac{5.0}{0.26}$	$(R=) \frac{V}{I}$	
		$\frac{5.0}{0.26}$ scores 2 marks	
	evaluation (1)		
	19 (Ω)	accept answers that round to 19 (Ω) (e.g. 19.23)	
		accept answer written table if not written on answer line.	
		award full marks for the correct answer without working	

Question Number	Answer	Additional guidance	Mark
2(b)(ii)	a comment that includes the following points		(3)
	idea that resistance increases with potential difference (1)		
	idea that doubling the potential difference does not result in doubling of resistance (1)	idea that equal increments of potential difference do not cause equal increments of resistance	
		reverse argument e.g. if student was correct then equal increments of p.d. would cause equal	
	OR	increment of resistance	
	V = constant x R is not supported by this data (1)	if student was correct then current would be constant	
	correct processing of data from the table to support either of the above mark points (1)	ignore simple quoting of data for this mark	

Question Number:	Answer	Additional guidance	Mark
2(b)(iii)	A description that includes	marks may be obtained from a circuit diagram	(2)
	add a variable resistor (1)	rheostat	
	with		
	in series (with the lamp / power supply) (1)	accept between / before / after for in series	
	OR		
	add a potential divider (1)	potentiometer	
	with		
	in parallel with power supply (1)	across the power supply	
		ignore replacing power supply / using fixed resistor(s) / LDR / thermistor	
		in both cases, second mark conditional on first mark	

(Total for Question 2 = 9 marks)

Question Number	Answer	Mark
3(a)(i)	The only correct answer is A	(1)
	B is incorrect because it is not tangential to the (circular) magnetic field lines produced by the current C is incorrect because it is not tangential to the (circular) magnetic field lines produced by the current D is incorrect because it is not tangential to the (circular) magnetic field lines produced by the current	

Question Number	Answer	Additional guidance	Mark
3(a)(ii)	A description of the method that includes:	Marking points may be awarded from a diagram.	(3)
	EITHER (using single compass)		
	record field at one location (1)	mark where compass points or put dots at each end of needle / arrow	
	find how field continues (1)	move compass to new position / until needle over previous dot	
	connect the dots (to reveal overall shape of field / line) (1)	start from different position and repeat (idea of obtaining concentric circles)	
	OR		
	arrange multiple compasses (1)		
	over all of the card (1)	all the way round the wire	
	direction of (all of) the compass needles indicates shape of field (1)		
	OR		
	sprinkle iron filings on card (before current is switched on) (1)		
	switch on current/ tap card (1)	allow iron filings to arrange themselves	
	pattern produced indicates shape of field (1)		

Question Number	Answer	Additional guidance	Mark
3(b)(i)	The only correct answer is B: up		(1)
	A is incorrect because it does not follow the "Left Hand Rule"		
	C is incorrect because it is not perpendicular to the direction of the magnetic field.		
	D is incorrect because it is not perpendicular to the direction of the magnetic field.		

Question	Answer	Additional guidance	Mark
Number			
3(b)(ii)	A description that includes:		(1)
	(forces are) equal (in size) and opposite (in direction)	accept (in this context) forces balance	

Question Number:	Answer	Additional guidance	Mark
3(b)(iii)	substitution into $F = B \times I \times l$ (1)	rearrangement and substitution can be in	(3)
	$0.045 = 0.72 \times I \times 30 \times 10^{-3}$	either order	
	rearrangement (1)		
	$(I =) \frac{F}{B \times l} OR \frac{0.045}{0.72 \times 30 \times 10^{-3}}$	$(I =) \frac{45}{21.6}$	
	evaluation (1)		
	2.1 (A)	accept answers that round to 2.1 (A)	
		accept final value rounded down to 2	
		leave POT until final	
		evaluation	
		award full marks for the correct answer	
		without working	

(Total for Question 3 = 9 marks)

Question Number:	Answer	Additional guidance	Mark
4(a)	A description including:		(4)
	find mass of marble(s) (1)	weigh marble(s)	
	put marble(s) into water (in cylinder) and measure change in water level (1)	accept volume for water level note level before and after marble(s) added	
		find volume of water displaced	
	divide mass by volume (1)	density = mass/volume in words or symbols	
	suitable idea to improve accuracy such as use several marbles (1)	subtract mass of bag from total mass of marbles and bag	
		ensure water measured at eye level	
		use appropriately sized measuring cylinder	
		ignore reference to repeating and taking average	

Questio n Number	Answer	Additional guidance	Mark
4(b)(i)	substitution into $\Delta Q = m \times c \times \Delta \theta$ (1) 84 000 = 0.25 × 4200 × $\Delta \theta$	accept substitution and rearrangement in either order	(3)
	rearrangement $\frac{\Delta Q}{m \times c}$ (1)		
	$(\Delta \theta =) \frac{84000}{0.25 \times 4200}$		
	(= 80)		
	evaluation (1)		
	(temperature before heating =) 20 (°C)	answer of 80 (°C) scores 2 marks	
		award full marks for the correct answer without working	

Question Number	Answer	Additional guidance	Mark
4(b)(ii)	substitution into $Q = m \times L(1)$		(2)
	0.34 = 0.15 × L		
	re-arrangement and evaluation (1)		
	$(L = \frac{0.34}{0.15} =)$		
	2.3 (MJ/kg)	allow values that round to 2.3 (MJ/kg)	
		allow 1 mark for POT error	
		award full marks for the correct answer without working	

Question Number	Answer	Additional guidance	Mark
4(b)(iii)	A description that makes reference to any two of the following		(2)
	(density) increases between 0°C and 4°C (1)	increases initially / at first / up to 4°C	
	reaches a maximum at 4°C (1)		
	(density) decreases above 4 °C (1)	then decreases	
		if no other marks scored then credit reference to large volume means low density (OWTTE) for 1 mark only	

Question Number	Answer	Additional guidance	Mark
5(a)(i)	recall (1) $(P =) \frac{E}{t}$ substitution and evaluation (1) (P =) 75 (W)	P = work done ÷ time $P = \frac{45}{0.6}$	(2)
		award full marks for the correct answer without working	

Question Number	Answer	Additional guidance	Mark
5(a)(ii)	substitution into E = $\frac{1}{2} \times k \times x^2$ (1) $45 = \frac{1}{2} \times 140 \times x^2$	allow substitution and rearrangement in either order	(3)
	rearrangement (1)		
	$(x =)\sqrt{\frac{2 \times 45}{140}}$	$x^2 = (\frac{E}{0.5k} =)\frac{2 \times 45}{140}$	
	evaluation (1) 0.8(0) (m)	$x^2 = 0.64(28571)$ accept values that round to 0.80 e.g. 0.80178	
		award full marks for the correct answer without working	

Question Number	Answer	Additional guidance	Mark
5(b)(i)	A description including any one from the following (1) measure a length or a specific distance related to the rubber or weights on a hanger OR with a named device (e.g. metre rule / stick / ruler / measuring tape) OR	evidence may be taken from additions to the diagram	(2)
	note position of a fixed point on rubber / weight carrier AND extension calculated / measured as the change in or difference between two positions or lengths or extensions (1)	ignore vague statements such as see how it much it extends	

Question Number	Answer	Additional guidance	Mark
5(b)(ii)	An explanation linking		(2)
	graph of rubber band is non- linear / curved / not directly proportional (1)	(graph for) spring would be straight	
	graph for unloading does not go through same points as loading (1)	(graph for) spring would only have one line / go through the same points	
		ignore reference to returning to original shape / length	

Question Number:	Answer	Additional guidance	Mark
5(c)	An answer that includes		(2)
	difference in energy transferred / work done (when loading and unloading) (1)		
	transferred to thermal energy	(thermal) energy is dissipated to the	
	(store in the rubber) (1)	surroundings	

(Total for Question 5 = 11 marks)

Question Number	Answer	Additional guidance	Mark
6(a)(i)	recall and substitution into $P = I^2 \times R$ (1) $130 = 14^2 \times R$ rearrangement (1)	substitution and rearrangement may be in either order	(3)
	$R = \frac{130}{14^2}$	alternative route: $\mathbf{V} (= \frac{P}{I}) = \frac{130}{14} \text{ OR } 9.3 \text{ V}$ (1) $R (= \frac{V}{I}) = \frac{9.3}{14}$ (1)	
	evaluation to 2 sig fig (1) $ (R =) = 0.66 (\Omega) $	award full marks for the correct answer without working award 2 marks for 0.663 or 0.67	

Question Number	Answer	Additional guidance	Mark
6(a)(ii)		accept reverse arguments	(2)
	rate of flow of charge in the immersion heater is greater than in the kettle / heating element (1)	more charge per second in the immersion heater	
		allow (in this context) faster (rate of) flow in immersion heater	
		14 coulombs per sec in immersion heater and 8.3 coulombs per sec in kettle / heating element	
	the direction of the flow of charge in the kettle / heating element keeps changing (whereas it remains in the same direction in the immersion heater) (1)	flows both ways in the kettle / heating element (one way in the heater)	
		simply referring to alternating current and direct current is not enough	

Question	Answer		
Number			
6(b)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme. The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.		
	AO1(6 marks) AO1		
	 earth earth wire connected to metal case metal case is a conductor (when live touches case) resistance between live and earth is very low (very) large current to earth through (low resistance) earth wire case is kept at same potential as earth so cannot get a shock if (earthed) person touches metal case 		
	 Fuse made of thin wire fuse connected between live pin and wire to kettle temperature of wire depends on current in it when the current is (very) large, the temperature of the wire increases beyond melting point of wire fuse (wire) breaks disconnects mains supply to kettle prevents damage to house wiring (now) there is no possibility of live wire in kettle being at mains voltage 		

Mark	Descriptor
0	No rewardable material.
1-2	 Demonstrates elements of physics understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. (AO1)
	 Presents an explanation with some structure and coherence. (AO1)
3-4	Demonstrates physics understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or developed. (AO1)
	Presents an explanation that has a structure which is mostly clear, coherent and logical. (AO1)
5-6	Demonstrates accurate and relevant physics understanding throughout. Understanding of the scientific ideas is detailed and fully developed. (AO1)
	Presents an explanation that has a well-developed structure which is clear, coherent and logical. (AO1)

Summary for guidance

Level	Mark	Additional Guidance	General additional guidance e.g At each level, as well as content, the scientific coherency of what is stated will help place the answer at the top, or the bottom, of that level.
	0	No rewardable material.	
Level 1	1-2	Additional guidance isolated facts about either fuse or earth	Possible candidate responses The fuse blows when there is a fault. The earth stops you from getting shock
Level 2	3-4	Additional guidance facts about fuse and earth that are linked to provide an explanation of the operation of either the fuse or the earth. OR	Possible candidate responses The earth wire is connected to the (metal) case of the kettle. The wire in fuse melts when current becomes too big. OR
		a well-developed explanation of the operation of fuse or earth	A large current flows through the wires in the kettle. The wire in the fuse heats up and melts. This disconnects the kettle from the mains supply.
Level 3	5–6	explanation of the operation of both the fuse and the earth one explanation may be more developed than the other but both fuse and earth must be explained.	Possible candidate responses A large current flows through the wires in the kettle. The wire in the fuse heats up and melts. The earth wire keeps (exposed) metal parts at earth potential and prevents shocks

(Total for Question 6 = 11 marks)