As part of CIE's continual commitment to maintaining best practice in assessment, CIE has begun to use different variants of some question papers for our most popular assessments with extremely large and widespread candidature, The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions are unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiner's Reports.

Question Paper	Mark Scheme	Principal Examiner's Report
Introduction	Introduction	Introduction
First variant Question Paper	First variant Mark Scheme	First variant Principal Examiner's Report
Second variant Question Paper	Second variant Mark Scheme	Second variant Principal Examiner's Report

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2008 question paper

0580/0581 MATHEMATICS

0580/21 and 0581/21 Paper 21 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations First variant Mark Scheme

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2008	0580/0581	21

	52 1.50	1 1	in the sector for the stress
1	53 and 59	1,1	independent of each other
2	$\frac{11x}{18}$	2	M1 $\frac{6x}{18} + \frac{10x}{18} - \frac{5x}{18}$ oe fractions with common denom. not decimals
3	150	2	M1 $\frac{18}{12} \times 100$
4	(a) 2870	1	cao
	(b) $(n+3)^2 + 1$	1	Allow $n^2 + 6n + 10$, $(n + 2 + 1)^2 + 1$, $(n - 1 + 4)^2 + 1$ oe
5	\$231.13 cao	2	M1 245 / 1.06 or 245 × 0.94(3) Allow 231, 231.1, 231.13 for M1
6	$\frac{598}{601} \ \frac{399}{401} \ \frac{698}{701}$	2	M1 correct decimals seen 0.99501 0.9957(2) 0.99500 First and third must be to at least 5sf Accept these decimals in answer space
7	(a) 1045.28 cao	1	
	(b) 10 <u>00</u>	1	Allow 1.0×10^3
8	$9x^2$	2	B1 9 B1 x^2 terms must be multiplied
9	$y = \frac{1}{2} x + 5$	3	M1 (<i>m</i> =) $\frac{8-5}{6-0}$ oe B1 (<i>c</i> =) 5
			or M1 A1 $y-8 = \frac{1}{2}(x-6)$ or $y -5 = \frac{1}{2}(x-0)$ Allow 3/6 for the $\frac{1}{2}$ A1 $y = \frac{1}{2}x + 5$ or $2y - x = 10$ oe
10	r = 18 $h = 42$ cao www	3	M1 Length scale factor of 6 used or stated Al Al
11	(±) 7.94	3	M1 $21^2 = (2x)^2 + x^2 - 2.2x \cdot x \cdot \cos 120$ oe M1 $441 = 7x^2$
12	(a) $\left[\begin{array}{c} p \\ 75 \\ 11 \\ 2 \\ 16 \\ 16 \\ 16 \\ 16 \\ 16 \\ 16 $	2	B1 P and S not intersecting. Two sets must be labelled Three intersecting circles will have $P \cap S$ empty.
13	(b) 4 $x < -23\frac{1}{2}$ or -23.5	1√ 3	from the number of elements in the shaded area M1 2 moves completed correctly M1 2 more moves completed correctly

	Page 3 Ma			cheme	Syllabus	Paper
				/June 2008	0580/0581	21
14	5.5 cm					
14			1 1	Line in correct place; bisec Line 2cm long in correct p		
		2.5 cm	1	$\frac{1}{4}$ circles in correct place		
				Not freehand.		
15	$\begin{pmatrix} -11\\ -11\\ 11 \end{pmatrix}$		1 1			
	$\begin{pmatrix} -11\\ -14 \end{pmatrix}$		1			
16	(1, 3) www		3	M1 consistent multiplicati	on and subtraction/addi	tion
				A1 A1 Allow $x = 1$ and $y = 3$		
				(1, k) or (k, 3) scores 2 ma	rks ONLY if M1 is sco	ored
17	20		4	B1 $\frac{370 + x}{500 + x} = \frac{3}{4}$ oe fra	action, decimal, percenta	age
				M1 two moves complet	ted correctly	
				M1 two more correct m	oves completed	
18	(a) -14		1			
	(b) $2x^3 - 6x^2$	+12x-9	2	M1 attempting to double f(.	x) and -1	
	(c) $\frac{x+1}{2}$		2	M1 valid method		
19	(a) (i) Trian	ngle (-1, -2)(-1, -3)(-3, -2)	2	M1 for one correct vertex of	of the triangle drawn on t	the diagram
	(ii) Refle	ction in $y = -x$	2	M1 for the word reflection	-	
				Combined transformation to but -1 once for the detail (e		he final answer
	(b) $\begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix}$		2	B1 each column or		
	$\begin{pmatrix} 1 & 0 \end{pmatrix}$)		M1 solving two pairs of sir A1 all correct in answer spa		
20	(a) 12900		3	$\begin{array}{c} \mathbf{M1} (160^2 \mathbf{or} 100^2) \times \pi \times \\ \mathbf{M1} \text{subtracting the two a} \end{array}$		
	(b) 23300		1√	(a) multiplied by 1.8		
	(c) (i) 2.33	3×10^{13}	1√	(b) $\times 10^{9}$		
		5×10^{13}	2	M1 (c)(i) / 1.5		

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2008	0580/0581	21

21	(a) 11.3	5	B1 identifying angle FAC M1 $600^2 + 800^2$ Al 1000 (for AC) M1 term = 200/their 1000
			$M1 \tan x = 200/\text{their } 1000$ (or cosx = "1000"/"1020")
			Alternative method via DF and AF M1 " $(200^2 + 600^2)$ " + 800 ² Al 1020 M1 sinx/(sin90) = 200/"1020" oe cosine rule also possible
	(b) 233	3	M1 $tany = 800/600$ oe $siny$, $cosy$ M1 an angle found in (b) + 180 written in working

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2008 question paper

0580/0581 MATHEMATICS

0580/22 and 0581/22 Paper 22 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2008	0580/0581	22

1	59 and 61	1, 1	independent of each other
1		1, 1	independent of each other
2	$\frac{13x}{18}$	2	M1 $\frac{6x}{18} + \frac{14x}{18} - \frac{7x}{18}$ oe fractions with common denom. not decimals
3	140	2	M1 $\frac{21}{15} \times 100$
4	(a) 1240	1	cao
	(b) $(n+4)^2 + 1$	1	Allow $n^2 + 16n + 17$, $(n + 3 + 1)^2 + 1$, $(n - 1 + 5)^2 + 1$ oe
5	\$308.41 cao	2	M1 330 / 1.07 or 330 × 0.93(4579) Allow M1 308, 308.4(1)
6	$\frac{598}{601} \ \frac{399}{401} \ \frac{698}{701}$	2	M1 correct decimals seen 0.99501 0.9957(2) 0.99500 First and third must be to at least 5sf Accept these decimals in answer space
7	(a) 2045.49 cao	1	
	(b) 20 <u>00</u>	1	Allow 2.0×10^3
8	$8x^3$	2	B1 8 B1 x^3 terms must be multiplied
9	$y = \frac{1}{2} x + 7$	3	M1 (<i>m</i> =) $\frac{10-7}{6-0}$ oe B1 (<i>c</i> =) 7
			or M1 A1 $y - 10 = \frac{1}{2}(x-6)$ or $y - 7 = \frac{1}{2}(x-0)$ Allow 3/6 for the $\frac{1}{2}$ A1 $y = \frac{1}{2}x + 7$ or $2y - x = 14$ oe
10	r = 24 $h = 36$ cao www	3	M1 Length scale factor of 6 used or stated Al Al
11	(±) 7.21	3	M1 $26^2 = (3x)^2 + x^2 - 2.3x \cdot x \cdot \cos 120$ oe M1 $676 = 13x^2$
12	(a) ξ 75 - 4 + 11 - 3 - 6 - 9 - 1 + 16 + 16 + 16 + 16 + 16 + 16 + 16	2	B1 P and S not intersecting. Two sets must be labelled Three intersecting circles will have $P \cap S$ empty.
12	(b) 4 $r < -23^{1}$ or -235	1√	from the number of elements in the shaded area
13	$x < -23\frac{1}{2}$ or -23.5	3	M1 2 moves completed correctly M1 2 more moves completed correctly

	Page 3		Mark \$	Scheme	ige 3 Mark Scheme Syllabus	
				ay/June 2008	0580/0581	Paper 22
14	5.5 cm	5.5 cm	1 1 1	Line A in correct place; bise Line 2cm long in correct pla $\frac{1}{4}$ circles in correct place Not freehand.		
15	$\begin{pmatrix} -11\\ -11\\ -14 \end{pmatrix}$		1 1 1			
16	(1, 3) www		3	M1 consistent multiplication A1 A1 Allow $x = 1$ and $y = 3$ (1, k) or (k, 3) scores 2 mark 370 + x = 3	ts ONLY if M1 is score	d
17	20		4	B1 $\frac{570 + x}{500 + x} = \frac{5}{4}$ oe fract M1 two moves completed M1 two more correct mov		e
18	(a) -17		1			
	(b) $2x^3 - 6x^2$	+12x-17	2	M1 attempting to double $f(x)$	and -3	
	(c) $\frac{x+3}{2}$		2	M1 valid method		
19	(a) Triangle	(-1, -2)(-1, -3)(-3, -2)	2	M1 for one correct vertex of	the triangle drawn on the	e diagram
	Reflection	n in $y = -x$	2	M1 for the word reflection A Combined transformation mu but -1 once for the details (e.	ust be fully correct to the	specified answer
	$(b) \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix}$		2	B1 each <u>column</u> or M1 solving two pairs of sim. A1 all correct in matrix	equations	
20	(a) 12900		3	M1 $(160^2 \text{ or } 100^2) \times \pi \times 93$ M1 subtracting the two are		
	(b) 23300		1√	(a) multiplied by 1.8		
	(c) (i) 2.33		1√	(b) $\times 10^{9}$		
	(ii) 1.55	5×10^{13}	2	M1 (c)(i) / 1.5		

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2008	0580/0581	22

21	(a) 11.3	5	B1 identifying angle FAC M1 $600^2 + 800^2$ Al 1000 (for AC)
			$M1 \tan x = 200/their 1000$
			$(\text{or } \cos x = "1000"/"1020")$
			Alternative method via DF and AF
			M1 " $(200^2 + 600^2)$ " + 800 ² Al 1020
			M1 sinx/(sin90) = 200/"1020" oe cosine rule also possible
	(b) 233	3	M1 $tany = 800/600$ oe $siny$, $cosy$ M1 an angle found in (b) + 180 written in working