

**MARK SCHEME for the October/November 2010 question paper  
for the guidance of teachers**

**0625 PHYSICS**

**0625/23**

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0625	23

## NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS

- B marks** are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
- M marks** are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers **must** be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
- C marks** are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it. e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
- A marks** are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
- c.a.o.** means "correct answer only".
- e.c.f.** means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but **only** applies to marks annotated "e.c.f."
- e.e.o.o.** means "each error or omission".
- brackets ( )** around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets.  
e.g. 10 (J) means that the mark is scored for 10, regardless of the unit given.
- underlining** indicates that this must be seen in the answer offered, or something very similar.
- un.pen.** means "unit penalty". An otherwise correct answer will have one mark deducted if the unit is wrong or missing. This **only** applies where specifically stated in the mark scheme. Elsewhere, incorrect or missing units are condoned.
- OR/or** indicates alternative answers, any one of which is satisfactory for scoring the marks.
- Spelling** Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit.
- Significant figures** Answers are acceptable to any number of significant figures  $\geq 2$ , except if specified otherwise, or if only 1 sig. fig. is appropriate.
- Units** Ignore units, except where a mark is specified for a particular unit.
- Fractions** These are only acceptable where specified.
- Extras** Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct response or are forbidden by mark scheme, use right + wrong = 0

Work which has been crossed out, but not replaced, should be marked as if it had not been crossed out.

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0625	23

- 1 (a) 13.6 (s) B1
- (b) 13.6/40 e.c.f. C1  
0.34 (s) e.c.f. A1
- (c) more accurate OR errors less significant OR time for 1 interval too small B1
- (d) 4 intervals OR 4 and a bit intervals OR 5 intervals C1  
4 × his (b) OR (4 and a bit) × his (b) 5 × his (b) C1  
1.36 – 1.5 (s) e.c.f. A1
- (e) drops accelerate/go faster B1

[Total: 8]

- 2 (a) extension indicated between two broken lines B1
- (b) (i) 4 points correctly plotted  $\pm \frac{1}{2}$  small square –1 e.e.o.o. B2  
(condone 0,0 not plotted)  
straight line through points and origin, by eye B1
- (ii) proportional B1
- (iii) 1. newton(s) B1  
2. 25 – 26 (mm) C1  
75 – 76 (mm) A1

[Total: 8]

- 3 (a) (i) (engine) thrust **and** (air) friction B1
- (ii) force shown vertically upwards, anywhere on plane B1
- (b) (i)  $v = s/t$  in any form C1  
2200/2.75 C1  
800 (km/h) A1
- (ii) idea of  
headwind on outward journey  
OR tailwind on return journey  
OR shorter route on return journey  
OR air friction is less  
OR idea of less weight  
NOT flies slower B1

[Total: 6]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0625	23

- 4 work B1  
potential/gravitational/PE/GPE/position B1  
kinetic/KE/movement B1  
constant/the same/uniform B1  
joule(s) OR J condone j B1

[Total: 5]

- 5 (a) (i) internal energy B1  
(ii) thermal capacity B1  
(iii) boiling point B1
- (b) increases temperature rises OR mercury/alcohol/liquid expands B1 + B1  
changes rod/brass expands B1 + B1

[Total: 7]

- 6 (a) 40 condone no unit B1
- (b) (i) ray reflected at angle  $> 40^\circ$  to dotted line B1  
(ii) 60 condone no unit B1  
(iii) his (ii) – 40 C1  
20 e.c.f. condone no unit A1
- (c) (i) 2 (cm) B1  
(ii) idea of distance behind = distance in front C1  
10 (cm) A1

[Total: 8]

- 7 (a) (i) refraction B1  
(ii) dispersion B1

(b)

red
yellow

e.c.f. from red

B1

B1

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0625	23

- (c) any two from  
 gamma, cosmic, X-rays, UV, IR, microwaves, radio, TV  
 (ignore extras, unless wrong, in which case ✓ + × = 0) B1 + B1

**[Total: 6]**

- 8 (a) (i) amplitude B1  
 (ii) wavelength B1

- (b) (i) string moves air M1  
 backwards & forwards OR up & down  
 OR compressions & rarefactions A1

- (ii) gets quieter/softer/less loud B1

**[Total: 5]**

- 9 (a) (i) (accept any recognisable symbols for M1 and A1 marks)  
 battery/cell, ammeter, coil in series (ignore any switch or rheostat) M1  
 voltmeter clearly in parallel with coil A1  
 standard symbols used for battery/cell, voltmeter and ammeter B1

- (ii)  $R = V/I$  in any form B1

- (iii) length (of wire) )  
 diameter/cross-section/area (of wire) ) any 2 B1 + B1  
 resistivity/type of material )  
 temperature )

**(b) EITHER**

- 6/1.5 C1  
 (circuit res. =) 4 ( $\Omega$ ) C1  
 (res. of AB =) 1 ( $\Omega$ ) e.c.f. C1  
 0.5 ( $\Omega/m$ ) e.c.f. A1

**OR**


- p.d. across  $3\Omega = 4.5$  (V) C1  
 p.d. across AB = 1.5 (V) C1  
 res. of AB = 1 ( $\Omega$ ) e.c.f. C1  
 0.5 ( $\Omega/m$ ) e.c.f. A1

**[Total: 10]**

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – October/November 2010	0625	23

- 10 (a) (i) deflects NOT vibrates OR oscillates M1  
returns to zero/centre again A1
- (ii) induction/induced current or emf B1  
axle/wire cuts magnetic field B1  
not when axle out of field B1
- (iii) opposite deflection B1
- (b) needle/pointer swings from side to side B1

[Total: 7]

- 11 (a)  B1

- (b) current too large B1  
fuse wire melts B1

- (c) live ticked B1

[Total: 4]

- 12 (a) (i) it is an electron B1
- (ii) no/negligible mass/weight allow "its mass" B1  
OR not one of nuclear particles
- (iii) negative charge allow "its charge" M1  
one unit of A1

- (b) 250 B1  
98 B1

[Total: 6]