Acids, bases and salts

Question Paper 4

Level	IGCSE
Subject	Chemistry
ExamBoard	CIE
Topic	Acids, bases and salts
Sub-Topic	
Paper	(Extended) Theory
Booklet	Question Paper 4

TimeAllowed: 68 minutes

Score: / 56

Percentage: /100

1	Insoluble	salts are	made	by	precipitation.
---	-----------	-----------	------	----	----------------

(a) A preparation of the insoluble salt calcium fluoride is described below.

To 15 cm³ of aqueous calcium chloride, 30 cm³ of aqueous sodium fluoride is added. The concentration of both solutions is 1.00 mol / dm³. The mixture is filtered and the precipitate washed with distilled water. Finally, the precipitate is heated in an oven.

(í١)	Com	nlete	the	equation.
М	w		$\rho_1 \cup \iota \cup$	uic	Cquation

$$Ca^{2+} + \dots F^{-} \longrightarrow \dots [2]$$


(ii)	Why is the volume of sodium fluoride solution double that of the calcium chlor solution?	ide
		[1]
(iii)	Why is the mixture washed with distilled water?	
		[1]
(iv)	Why is the solid heated?	
		[1 ⁻

Save My Exams! - The Home of Revision


For more awesome GCSE and A level resources, visit us at www.savemyexams.co.uk/

(b) The formulae of insoluble compounds can be found by precipitation reactions.

To 12.0 cm³ of an aqueous solution of the nitrate of metal T was added 2.0 cm³ of aqueous sodium phosphate, Na₃PO₄. The concentration of both solutions was 1.00 mol/dm³. When the precipitate had settled, its height was measured.



The experiment was repeated using different volumes of the phosphate solution. The results are shown on the following graph.



What is the formula of the phosphate of metal T? Give your reasoning.

[3]
[0]

[Total: 8]

	Complete the ta		ovemble	
	type of oxide	pH of solution of oxide	example	
	acidic			
	basic			
	neutral			
			J	
(b)	(i) Explain the	term <i>amphoteric</i> .		

(ii) Name two reagents that are needed to show that an oxide is amphoteric.

[Total: 9]

3

Sul	Sulphuric acid is a typical strong acid.				
(a)	Cha	ange the equations given into a different format.			
	(i)	Mg + $H_2SO_4 \longrightarrow MgSO_4 + H_2$ Change into a word equation.			
			[1]		
	(ii)	lithium oxide + sulphuric acid → lithium sulphate + water Change into a symbol equation.			
			[2]		
	(iii)	CuO + $2H^+ \longrightarrow Cu^{2+} + H_2O$ Change the ionic equation into a symbol equation.			
			[2]		
	(iv)	$Na_2CO_3 + H_2SO_4 \longrightarrow Na_2SO_4 + CO_2 + H_2O$ Change into a word equation.			
			[1]		
(b)	H_2S	en sulphuric acid dissolves in water, the following reaction occurs. $SO_4 + H_2O \longrightarrow HSO_4^- + H_3O^+$ blain why water is behaving as a base in this reaction.	[0]		
	•••••		[2]		
(c)		phuric acid is a strong acid, ethanoic acid is a weak acid. Dain the difference between a strong acid and a weak acid.			
	•••••		[2]		
		[Total:	10]		

4	There a	re three methods	of preparing salts.	
	Method	and an indicator.		
	Method	B – mix two solut	ions and obtain the salt by precipitation.	
	Method	C – add an exce filtration.	ss of base or a metal to a dilute acid and remove the exces	s by
			salt preparations, choose one of the methods A , B or C , named and then write or complete the equation.	any
	(i)	the soluble salt, a	zinc sulphate, from the insoluble base, zinc oxide	
		method		
		reagent		
		word equation		[3
	(ii)	the soluble salt, p	potassium chloride, from the soluble base, potassium hydroxic	le
		method		
		reagent		
		equation	+ \rightarrow KC l + H $_2$ O	[3]
	(iii)	the insoluble salt	, lead(II) iodide, from the soluble salt, lead(II) nitrate	
		method		
		reagent		
		equation Ph ²⁺ +	\rightarrow	Γ Δ

[Total: 10]

Methyl	amine, CH ₃ NH ₂ , is a weak base. Its properties are similar to those of ammonia.	
(a) W	nen methylamine is dissolved in water, the following equilibrium is set up.	
	$CH_3NH_2 + H_2O \stackrel{\longrightarrow}{\longleftarrow} CH_3NH_3^+ + OH^-$ base acid	
(i)	Suggest why the arrows are not the same length.	
		[1
(ii)	Explain why water is stated to behave as an acid and methylamine as a base.	
		[2]
` ar	aqueous solution of the strong base, sodium hydroxide, is pH 12. Predict the pH aqueous solution of methylamine which has the same concentration. Give a reason your choice of pH.	
		[2
/_\ \ \ /		
(C) IVI	ethylamine is a weak base like ammonia.	
(c) M		
. ,		
. ,	Methylamine can neutralise acids. $2CH_3NH_2 + H_2SO_4 \rightarrow (CH_3NH_3)_2 SO_4$	
. ,	Methylamine can neutralise acids. $2\text{CH}_3\text{NH}_2 \ + \ \text{H}_2\text{SO}_4 \to (\text{CH}_3\text{NH}_3)_2 \ \text{SO}_4} \\ \text{methylammonium sulphate}$ Write the equation for the reaction between methylamine and hydrochloric acid. Name the salt formed.	
. ,	Methylamine can neutralise acids. $2\text{CH}_3\text{NH}_2 \ + \ \text{H}_2\text{SO}_4 \to (\text{CH}_3\text{NH}_3)_2 \ \text{SO}_4} \\ \text{methylammonium sulphate}$ Write the equation for the reaction between methylamine and hydrochloric acid. Name the salt formed.	[2]
. ,	Methylamine can neutralise acids. $2\text{CH}_3\text{NH}_2 + \text{H}_2\text{SO}_4 \to (\text{CH}_3\text{NH}_3)_2 \text{SO}_4 \\ \text{methylammonium sulphate}$ Write the equation for the reaction between methylamine and hydrochloric acid. Name the salt formed.	[2]
(i)	Methylamine can neutralise acids. 2CH ₃ NH ₂ + H ₂ SO ₄ → (CH ₃ NH ₃) ₂ SO ₄ methylammonium sulphate Write the equation for the reaction between methylamine and hydrochloric acid. Name the salt formed. When aqueous methylamine is added to aqueous iron(II) sulphate, a green precipitate is formed. What would you see if iron(III) chloride solution had been used instead of iron(II) sulphate?	[2]
(i)	Methylamine can neutralise acids. 2CH ₃ NH ₂ + H ₂ SO ₄ → (CH ₃ NH ₃) ₂ SO ₄ methylammonium sulphate Write the equation for the reaction between methylamine and hydrochloric acid. Name the salt formed. When aqueous methylamine is added to aqueous iron(II) sulphate, a green precipitate is formed. What would you see if iron(III) chloride solution had been used instead of iron(II) sulphate?	[1]

[Total: 9]


6 **(a** Four bottles were known to contain aqueous ammonia, dilute hydrochloric acid, sodium hydroxide solution and vinegar, which is dilute ethanoic acid. The bottles had lost their labels. The pH values of the four solutions were 1, 4, 10 and 13.

Complete the table.

solution	
aqueous ammonia	
dilute hydrochloric acid	
sodium hydroxide solution	
vinegar	

[2]

(b) The following apparatus was set up to investigate the electrical conductivity of dilute acids.



Dilute sulphuric acid is a strong acid. If it was replaced by a weak acid, what **two** differences in the observations would you expect to make?

			[0]

(c) When nitric acid is added to water the following reaction occurs.

$$HNO_3 + H_2O \longrightarrow NO_3^- + H_3O^+$$

Give the name and the formula of the particle which is transferred from nitric acid to water.

name

formula [2]

(d)	Thi	is question is concerned with the following oxides.		
		aluminium oxide	Al_2O_3	
		calcium oxide	CaO	
		carbon dioxide	CO ₂	
		carbon monoxide	CO	
		magnesium oxide	MgO	
		sulphur dioxide	SO ₂	
	(i)	sodium hydroxide?	will react with hydrochloric acid but not with aqueous	
	(ii)		will react with aqueous sodium hydroxide but not with	
			[1]	
	(iii)	Which of the above oxides w sodium hydroxide?	vill react both with hydrochloric acid and with aqueous	
			[1]	
	(iv)	Which of the above oxides aqueous sodium hydroxide?	s will react neither with hydrochloric acid nor with	
			[1]	