Atoms, elements and compounds

Question Paper 5

| Level | IGCSE |
|-----------|-------------------------------|
| Subject | Chemistry |
| ExamBoard | CIE |
| Topic | Atoms, Elements and Compounds |
| Sub-Topic | |
| Paper | (Extended) Theory |
| Booklet | Question Paper 5 |

TimeAllowed: 80 minutes

Score: /66

Percentage: /100

| 1 | 1 It was reported from America that a turbine engine, the size of a button, might rebatteries. The engine would be built from silicon which has suitable properties for purpose. | | | |
|---|--|---|----------------|--|
| | (a) | Why are batteries a convenient source of energy? | | |
| | | [| 1] | |
| | (ii) | The engine will run on a small pack of jet fuel. What other chemical is needed to burn this fuel? | 0 | |
| | | [| 1] | |
| | (b) Sili | icon has the same type of macromolecular structure as diamond. | | |
| | (i) | Explain why one atom of either element can form four covalent bonds. | | |
| | | | | |
| | /:: \ | | 2] | |
| | (ii) | Predict two physical properties of silicon. | | |
| | | [2 | 2] | |
| | (iii) | Name a different element that has a similar structure and properties to silicon. | - | |
| | | | 1] | |
| | (c) Sili | icon is made by the carbon reduction of the macromolecular compound, silicon(IV de. | ⁷) | |
| | (i) | Balance the equation for the reduction of silicon(IV) oxide. | | |
| | | $SiO_2 + C \rightarrow Si$ CO [| 1] | |
| | (ii) | Explain why the silicon(IV) oxide is said to be reduced. | | |
| | | [| 1] | |
| | (iii) | Describe the structure of silicon(IV) oxide. You may use a diagram. | | |
| | | | | |
| | | | | |

Calcium and other minerals are essential for healthy teeth and bones. Tablets can be taken to provide these minerals.

Healthy Bones

| | • | | | | |
|----------------------|---|--|--|--|--|
| Each tablet contains | | | | | |
| | calcium | | | | |
| | magnesium | | | | |
| | zinc | | | | |
| | copper | | | | |
| | boron | | | | |
| | | | | | |
| (a) Bo | ron is a non-metal with a macromolecular structure. | | | | |
| (i) | What is the valency of boron? | | | | |
| | | | | | |
| (ii) | Predict two physical properties of boron. | | | | |
| | | | | | |
| | | | | | |
| (:::) | Name and the state of a second state of the | | | | |
| (iii) | | | | | |
| | element | | | | |
| | compound | | | | |
| (iv) | Sketch the structure of one of the above macromolecular substances. | | | | |
| | | | | | |


| | sod | cribe the reactions, it any, of zind ium hydroxide. | | |
|-----|-------------|--|---|--|
| | (i) | zinc ions | | |
| | | addition of aqueous sodium hyd | | |
| | | excess sodium hydroxide | | |
| | (ii) | copper(II) ions | | |
| | | addition of aqueous sodium hyd | roxide | |
| | | | | |
| | | excess sodium hydroxide | | |
| | | | | |
| (c) | Eac read | h tablet contains the same num ted with excess hydrochloric acid | nber of moles of CaCO ₃ and lid to produce 0.24 dm ³ of carbo | MgCO ₃ . One tablet n dioxide at r.t.p. |
| | | $CaCO_3 + 2HCl \rightarrow MgCO_3 + 2HC$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| | (i) | Calculate how many moles of Ca | aCO ₃ there are in one tablet. | |
| | | number of moles CO ₂ | = | |
| | | number of moles of $CaCO_3$ and | | |
| | | | MgCO ₃ = | |
| | | number of moles of CaCO ₃ | MgCO ₃ = = | [3] |
| | (ii) | number of moles of CaCO ₃ Calculate the volume of hydrochtablet. | = | |
| | (ii) | Calculate the volume of hydroch | = hloric acid, 1.0 mol/dm ³ , neede | |
| | (ii) | Calculate the volume of hydroch tablet. number of moles of CaCO ₃ and | = hloric acid, 1.0 mol/dm ³ , neede | |

Save My Exams! - The Home of Revision

For more awesome GCSE and A level resources, visit us at www.savemyexams.co.uk/

3 Concentrated ammonia solution gives off ammonia gas. Concentrated hydrochloric acid gives off hydrogen chloride gas. Ammonia, NH₃, and hydrogen chloride, HC*l*, are both colourless gases. Ammonia reacts with hydrogen chloride to make the white solid ammonium chloride.

Apparatus is set up as shown.



After ten minutes a white solid forms in the tube where the gases meet.

| (a) (i) | Write the chemical equation for the reaction of ammonia with hydrogen chloride. | |
|---------|---|----|
| | [| 1] |
| (ii) | Name the process by which the ammonia and hydrogen chloride gases move in the tub | e. |
| | [| 1] |
| (iii) | At which point, A , B , C or D , does the white solid form? Explain why the white solid form at that point. | าร |
| | the solid forms at | |
| | explanation | |
| | [| |
| (iv) | The experiment was repeated at a higher temperature. | |
| | Predict how the results of the experiment would be different. Explain your answer. | |
| | | |
| | | |
| | Г | 31 |


| (b) | Son | ne of the white solid is removed from the tube and dissolved in water. |
|-----|------|--|
| | Des | scribe how the white solid could be tested to show it contains, |
| | (i) | ammonium ions, |
| | | test |
| | | |
| | | result |
| | | [3] |
| | (ii) | chloride ions. |
| | | test |
| | | |
| | | result |
| | | [3] |
| | | [~] |
| (c) | | e diagram shows the electron arrangement in a molecule of ammonia, showing only outer Il electrons. |
| | | H |
| | | N H |
| | | X • H |
| | (i) | State the type of bonding in ammonia. |

Save My Exams! - The Home of Revision

For more awesome GCSE and A level resources, visit us at www.savemyexams.co.uk/

(ii) Hydrazine, N₂H₄, is another compound of nitrogen and hydrogen.

Complete the diagram to show the electron arrangement in a molecule of hydrazine, showing only outer shell electrons.



[3]

- (d) Nylon and proteins are both polymers containing nitrogen.
 - (i) Name the linkages found in the polymers of nylon and protein.

.....[1]

(ii) Describe **one** difference in the structures of nylon and protein.

.....[1]

(iii) What is the general name given to the products of hydrolysis of proteins?

......[1]

(e) Suggest the structure of the monomer used to make the polymer shown.

$$\begin{pmatrix} H & O \\ I & I \\ N & C \end{pmatrix}_n$$

[1]

[Total: 22]

The table below shows the elements in the third period of the Periodic Table, the number of electrons in their outer energy level, their oxidation state in their common compounds and their melting points.

| element | Na | Mg | Al | Si | Р | S | Cl | Ar |
|---------------------------|----|----|----|-------|----|-----|-----|-----|
| number of outer | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| electrons oxidation state | +1 | +2 | +3 | +4/-4 | -3 | -2 | _ | 0 |
| melting point/°C | 98 | 65 | 66 | 1414 | 31 | 115 | 1 _ | _ |
| | | 0 | 0 | | 7 | | 101 | 189 |

| (a) | Describe and explain the variation in oxidation state across the period. |
|-----|--|
| | |
| | |
| | [3] |
| (b) | The firstthreeelements,Na,MgandA <i>l</i> , are metals. |
| | Describe the structure of a typical metal. |
| | |
| | |
| | [3] |

| (c) | Explain why Na, Mg and A <i>l</i> are good conductors of electricity. | |
|-----|---|-----|
| | | [1] |
| (d) | Which element exists as diatomic molecules of the type X ₂ ? | |
| | | [1] |
| (e) | Silicon has a similar structure to diamond. | |
| | Explain why silicon has the highest melting point in the period. | |
| | | |
| | | [2] |

| (f) Sodium chloride is a crystalline solid with a high melting point. It dissolves in water to give a neutral solution. Phosphorus trichloride is a liquid at room temperature. It reacts with water to |
|--|
| form an acidic solution. |
| Suggest an explanation for these differences in properties. |
| |
| |
| |
| |
| |
| [2] |
| |
| (g) Describe how you could show that magnesium oxide is a basic oxide and not an amphoteric |
| |
| |
| [2] |
| |
| (h) Draw a dot-and-cross diagram showing the bonding in magnesium oxide. Show outer electrons. |
| |