

**Physics A**

Advanced Subsidiary GCE

Unit **G481**: Mechanics

**Mark Scheme for June 2011**

---

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of pupils of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by Examiners. It does not indicate the details of the discussions which took place at an Examiners' meeting before marking commenced.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the Report on the Examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2011

Any enquiries about publications should be addressed to:

OCR Publications  
PO Box 5050  
Annesley  
NOTTINGHAM  
NG15 0DL

Telephone: 0870 770 6622  
Facsimile: 01223 552610  
E-mail: [publications@ocr.org.uk](mailto:publications@ocr.org.uk)

**CATEGORISATION OF MARKS**

The marking schemes categorise marks on the MACB scheme.

- B** marks: These are awarded as independent marks, which do not depend on other marks. For a **B**-mark to be scored, the point to which it refers must be seen specifically in the candidate's answers.
- M** marks: These are method marks upon which **A**-marks (accuracy marks) later depend. For an **M**-mark to be scored, the point to which it refers must be seen in the candidate's answers. If a candidate fails to score a particular **M**-mark, then none of the dependent **A**-marks can be scored.
- C** marks: These are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, providing subsequent working gives evidence that they must have known it. For example, if an equation carries a **C**-mark and the candidate does not write down the actual equation but does correct working which shows the candidate knew the equation, then the **C**-mark is given.
- A** marks: These are accuracy or answer marks, which either depend on an **M**-mark, or allow a **C**-mark to be scored.

**Note about significant figures:**

Significant figures are rigorously assessed in the practical skills.

If the data given in a question is to 2 sf, then allow answers to 2 or more significant figures.


If an answer is given to fewer than 2 sf, then penalise once only in the entire paper.

Any exception to this rule will be mentioned in the Additional Guidance.


Question			Expected Answers	Marks	Additional Guidance
1	a	i	work (done) / (elastic potential) energy	B1	<b>Not:</b> heat / gravitational potential energy / kinetic energy
		ii	displacement / distance	B1	
	b		Any <u>two</u> from: <ul style="list-style-type: none"> <li>• Torque (of a couple)</li> <li>• Moment (of a force)</li> <li>• Work (done) / energy</li> </ul>	B1×2	<b>Not:</b> 'Couple' for 'torque'  <b>Allow:</b> PE / KE
<b>Total</b>				<b>4</b>	

Question		Expected Answers	Marks	Additional Guidance
2	a	density = mass/volume or 'density is mass per (unit) volume'	B1	<b>Allow:</b> $\rho = \frac{M}{V}$ , where $M$ = mass and $V$ = volume <b>Not:</b> mass per $\text{m}^3$
	b	i		
		Dramatic change(s) in <u>density</u> (at 3.0 Mm and 5.1 Mm) (AW)	B1	<b>Not:</b> There are three (distinct) layers / Each layer has different density
		ii		
		mass = $0.18 \times 6.0 \times 10^{24}$ ( $=1.08 \times 10^{24}$ kg) or radius = $1.3 \times 10^6$ (m)  volume = $\frac{4}{3}\pi \times (1.3 \times 10^6)^3$  density = $\frac{1.08 \times 10^{24}}{9.20 \times 10^{18}}$ density = $1.2 \times 10^5$ ( $\text{kg m}^{-3}$ )	C1  C1  A1	<b>Note:</b> The first C1 mark is for determining the mass or the radius of core  Possible $10^n$ errors  <b>Bald</b> answer of $1.2 \times 10^5$ ( $\text{kg m}^{-3}$ ) or $1.17 \times 10^5$ ( $\text{kg m}^{-3}$ ) scores 3 marks <b>Allow:</b> 2 marks for $\frac{6.0 \times 10^{24}}{9.20 \times 10^{18}} = 6.5 \times 10^5$ (factor of 0.18 missed out) <b>Note:</b> The <u>last two</u> C1 and A1 marks cannot be scored if incorrect radius is used. Hence no further marks for $\frac{1.08 \times 10^{24}}{\frac{4}{3}\pi \times (6.4 \times 10^6)^3}$ or $\frac{1.08 \times 10^{24}}{\frac{4}{3}\pi \times (5.1 \times 10^6)^3}$ , etc
		<b>Total</b>	<b>5</b>	

Question		Expected Answers	Marks	Additional Guidance
3	a	A quantity with magnitude / size <u>and</u> direction	B1	
		Suitable example: displacement / velocity / acceleration / force / weight etc	B1	
	b	<b>i</b> $F_x = F \cos \theta$ $7.0 = F \times \cos 30$ $F = 8.1 \text{ (N) or } 8.08 \text{ (N)}$	C1 A1	<b>Allow:</b> 1 mark for 'radian' error; answer is 45.3 (N) <b>Note:</b> No marks for ' $7.0 \times \cos 30 = 6.06 \text{ N}$ '
			ii	<b>1</b> $W = 7.0 \times 5.0$ or $W = 8.08 \times 5.0 \times \underline{\cos 30}$ work done = 35 (J)  <b>2</b> 'power' = $35/4.2$ = 8.3 (W)
	c	<b>i</b> Magnitude is 120 (N) / equal to weight Direction is (vertically) up / opposite to weight	B1 B1	
			ii	Correct diagram  Correct detail on diagram  $120^2 = 70^2 + T^2$  $T = 97 \text{ (N) or } 97.5 \text{ (N)}$
		<b>Total</b>	<b>13</b>	



Question		Expected Answers	Marks	Additional Guidance
4	a	Any <u>two</u> from: <ul style="list-style-type: none"> <li>• area</li> <li>• speed / velocity</li> <li>• viscosity (of air) / temperature / density</li> <li>• (surface) texture / ‘aerodynamic’ (shape)</li> </ul>	B1×2	<b>Not:</b> shape / size  <b>Allow:</b> ‘streamlining’
	b	i	B1	Award the mark for two arrows in opposite directions as long as <u>one</u> of them is labelled
		ii	B1	<b>Reminder:</b> weight can be quoted to more than 2 sf (e.g: 735.75)  <b>Not:</b> ‘75 × 10 = 750 N’
		iii	C1  C1  A1	<b>Allow:</b> Answer to 2sf or more <b>Bald</b> answer of 8.2 or 8.21 scores 3 marks <b>Note:</b> Using 740 (N) gives an answer 8.3 (m s <sup>-2</sup> )
		iv	B1	<b>Not:</b> <i>D</i> and <i>W</i> are ‘balanced/equilibrium’
		v	C1  A1	<b>Bald</b> answer of 49.5 (m s <sup>-1</sup> ) or 50 (m s <sup>-1</sup> ) scores 2 marks
		<b>Total</b>	<b>10</b>	

Question		Expected Answers	Marks	Additional Guidance	
5	a	<p><b>Measurements:</b> height (of wall) time (of fall)</p> <p><b>Instruments:</b> ruler / tape (measure) stopwatch / timer / clock / video</p> <p><math>g = \frac{2s}{t^2}</math> / <math>g = 2 \times</math> gradient of <math>s-t^2</math> graph</p> <p><b>Note:</b> Allow full credit if candidate has used alternative approaches using <math>v^2 = u^2 + 2as</math> or <math>v = u + at</math>.</p> <p>Any <u>two</u> from: <math>g</math> is an estimate because</p> <ul style="list-style-type: none"> <li>air resistance / drag ignored</li> <li>parallax problems with 'landing time'</li> <li>starting / stopping the clock</li> </ul>	<p>B1 B1</p> <p>B1 B1</p> <p>B1</p> <p>B1×2</p>	<p><b>Must use tick or cross on Scoris to show if the mark is awarded</b></p> <p><b>Allow:</b> 'distance (of fall)' instead of 'height'</p> <p> <b>The 4<sup>th</sup> B1 can only be scored if <i>stopwatch / timer / clock / video (camera)</i> is spelled correctly</b></p> <p><b>Allow:</b> Use of 'a' instead of 'g'</p> <p><b>Note:</b> <math>a</math> must be the subject</p> <p><b>Allow:</b> 'wind resistance'/'resistive force' for first bullet point</p> <p><b>Allow:</b> 'reaction time' but <b>not</b> 'human error' for the third bullet point</p>	
	b	i	Radio (waves) / microwaves	B1	
		ii	Time taken for the signal to travel from satellite to car is determined / 'delay' time for signal is determined	M1	
			distance = $c \times$ (delay) time	A1	<p><b>Allow:</b> speed of light / <math>3.0 \times 10^8 \text{ m s}^{-1}</math> instead of <math>c</math></p> <p><b>Note:</b> Distance must be the subject for the second B1 mark</p>



Question		Expected Answers	Marks	Additional Guidance
	iii	Mention of circles / spheres / shells	B1	<b>Note:</b> This mark can be scored if a diagram shows circles / arcs (no label required)
		The position of the car is where the circles intersect / trilateration mentioned	B1	<b>Note:</b> This mark can be scored on a diagram if it shows intersecting circles / arcs and the intersection point is marked 'car'
		<b>Total</b>	<b>12</b>	

Question		Expected Answers	Marks	Additional Guidance
6	a	Energy can neither be created nor destroyed (but it can be transformed from one form to another) or Total energy of a closed system remains constant	B1	
	b	i		
		loss in PE = $0.10 \times 9.81 \times 0.60$  = 0.59 (J) or 0.589 (J)	B1	
		ii		
		$v^2 = 2as$ / $v^2 = 2 \times 2.8 \times 0.60$ / $v^2 = 3.36$  $v = \sqrt{2 \times 2.8 \times 0.60}$ or $v = 1.833$ or $v = 1.83$  $v = 1.8$ (m s <sup>-1</sup> )	M1  M1  A0	
		iii		
		(KE =) $\frac{1}{2}mv^2$ / (KE =) $\frac{1}{2} \times 0.25 \times 1.8^2$  kinetic energy = 0.405 (J) or 0.41 (J)	C1  A1	Possible ecf from (b)(ii)  <b>Note:</b> The answer is 0.42 (J) when 1.83 m s <sup>-1</sup> is used <b>Allow:</b> 1 mark for 0.162 (J) if 0.10 kg mass is used or for 0.567 (J) if 0.35 kg is used
		iv		
		<u>KE</u> of 0.10 kg mass is not taken into account (AW)	B1	<b>Not:</b> 'There is friction'
		<b>Total</b>	<b>7</b>	

Question			Expected Answers	Marks	Additional Guidance
7	a	i	Extension is proportional to force (applied as long as the elastic limit is not exceeded)	B1	<b>Must use tick or cross on Scoris to show if the mark is awarded</b>  ✍ This B1 can only be scored when ' <i>extension</i> ' is spelled correctly <b>Note:</b> If ' <i>change in length</i> ' or ' $\Delta$ length' used instead of ' <i>extension</i> ', then <i>length</i> must be spelled correctly <b>Allow:</b> stress $\propto$ strain as BOD (stress or stain must be spelled correctly)
		ii	$p \rightarrow 10^{-12}$ $n \rightarrow 10^{-9}$ $k = \frac{F}{x} \quad / \quad k = \frac{210 \times 10^{-12}}{0.16 \times 10^{-9}}$ force constant = 1.3 (N m <sup>-1</sup> ) or 1.31 (N m <sup>-1</sup> )	C1 C1  A1	Possible ecf <b>Allow:</b> 1 mark for '210/0.16 = 1312.5'
	b	i	$E = \text{gradient} / E = \text{stress/strain (linear section)}$ $E = \frac{70 \times 10^6}{0.8 \times 10^{-3}}$ $E = 8.8 \times 10^{10}$ (Pa) or $8.75 \times 10^{10}$ (Pa)  unit: N m <sup>-2</sup> or Pa	C1  A1  B1	<b>Allow:</b> An answer in the range $(8.3 \text{ to } 9.1) \times 10^{10}$ (Pa) <b>Allow:</b> 1 mark for an answer $8.75 \times 10^n$ , $n \neq 10$  <b>Note:</b> This is an independent mark
		ii	breaking stress = $6.0 \times 10^7$ (Pa) $A = \frac{19}{6.0 \times 10^7}$ (Any subject) $A = 3.2 \times 10^{-7}$ (m <sup>2</sup> ) or $3.17 \times 10^{-7}$ (m <sup>2</sup> )	C1 A1	<b>Allow:</b> 1 mark $3.17 \times 10^n$ (m <sup>2</sup> ), $n \neq -7$ <b>Note:</b> No marks if breaking stress of <u>6.0</u> $\times 10^n$ is not used
<b>Total</b>				<b>9</b>	

**OCR (Oxford Cambridge and RSA Examinations)**  
**1 Hills Road**  
**Cambridge**  
**CB1 2EU**

**OCR Customer Contact Centre**

**14 – 19 Qualifications (General)**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

**[www.ocr.org.uk](http://www.ocr.org.uk)**

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
**is a Company Limited by Guarantee**  
**Registered in England**  
**Registered Office; 1 Hills Road, Cambridge, CB1 2EU**  
**Registered Company Number: 3484466**  
**OCR is an exempt Charity**



**OCR (Oxford Cambridge and RSA Examinations)**  
**Head office**  
**Telephone: 01223 552552**  
**Facsimile: 01223 552553**

© OCR 2011