

Physical and Chemical Changes

Question Paper

Level	IGCSE
Subject	Chemistry
ExamBoard	CIE
Topic	Chemical Reactions
Sub-Topic	Physical and chemical changes
Paper	(Extended) Theory
Booklet	Question Paper

TimeAllowe **47 minutes**

d: Score: **/ 39**

Percentage: **/100**

1 (a) Biological catalysts produced by microbes cause food to deteriorate and decay.


(i) What is the name of these biological catalysts?

..... [1]

(ii) Freezing does not kill the microbes.
Suggest why freezing is still a very effective way of preserving food.

.....
..... [2]

(b) Pea seeds grow in pods on pea plants.



Freshly picked pea seeds contain a sugar. The sugar can form a polymer.
Give the structural formula of the polymer and name the other product of this polymerisation reaction.

You may represent the sugar by the formula:



structural formula of the polymer

other product [3]

(c) Describe how the pea plant makes a sugar such as glucose.

.....

.....

.....

.....

..... [3]

[Total: 9]

- 2 The table gives the melting points, the boiling points and the electrical properties of six substances A to F.

substance	melting point /°C	boiling point /°C	electrical conductivity as a solid	electrical conductivity as a liquid
A	-210	-196	does not conduct	does not conduct
B	777	1627	does not conduct	good conductor
C	962	2212	good conductor	good conductor
D	-94	63	does not conduct	does not conduct
E	1410	2355	does not conduct	does not conduct
F	1064	2807	good conductor	good conductor

- (a) Which **two** substances could be metals? [1]
- (b) Which substance could be nitrogen? [1]
- (c) Which substance is an ionic solid? [1]
- (d) Which substance is a liquid at room temperature? [1]
- (e) Which substance has a giant covalent structure similar to that of diamond? [1]
- (f) Which **two** substances could exist as simple covalent molecules? [1]

[Total: 6]

3 For each of the following unfamiliar elements predict one physical and one chemical property.

(a) caesium (Cs)

physical property

chemical property

..... [2]

(b) vanadium (V)

physical property

chemical property

..... [2]

(c) fluorine (F)

physical property

chemical property

..... [2]

[Total: 6]

4 Zinc is extracted from an ore called zinc blende, which consists mainly of zinc sulfide, ZnS.

(a) (i) The zinc sulfide in the ore is first converted into zinc oxide.

Describe how zinc oxide is made from zinc sulfide.

.....
..... [1]

(ii) Write a chemical equation for the reaction in (a)(i).

..... [2]

(b) Zinc oxide is converted into zinc. Zinc oxide and coke are fed into a furnace. Hot air is blown into the bottom of the furnace.

Zinc has a melting point of 420 °C and a boiling point of 907 °C. The temperature inside the furnace is over 1000 °C.

(i) Explain how zinc oxide is converted into zinc. Your answer should include details of how the heat is produced and equations for all the reactions you describe.

.....
.....
.....
.....
..... [3]

(ii) Explain why the zinc produced inside the furnace is a gas.

..... [1]

(iii) State the name of the physical change for conversion of gaseous zinc into molten zinc.

..... [1]

(c) Rusting of steel can be prevented by coating the steel with a layer of zinc.

Explain, in terms of electron transfer, why steel does **not** rust even if the layer of zinc is scratched so that the steel is exposed to air and water.

.....

.....

.....

.....

..... [4]

(d) When a sample of steel is added to dilute hydrochloric acid, an aqueous solution of iron(II) chloride, FeCl_2 , is formed.

When a sample of rust is added to dilute hydrochloric acid, an aqueous solution of iron(III) chloride, FeCl_3 , is formed.

(i) Aqueous sodium hydroxide is added to the solutions of iron(II) chloride and iron(III) chloride.

Complete the table below, showing the observations you would expect to make.

	iron(II) chloride solution	iron(III) chloride solution
aqueous sodium hydroxide		

[2]

Solutions of iron(II) chloride and iron(III) chloride were added to solutions of potassium iodide and acidified potassium manganate(VII). The results are shown in the table.

	iron(II) chloride solution	iron(III) chloride solution
potassium iodide solution	no change	solution turns from colourless to brown
acidified potassium manganate(VII) solution	solution turns from purple to colourless	no change

(ii) What **types** of substance cause potassium iodide solution to turn from colourless to brown?

..... [1]

(iii) What **types** of substance cause acidified potassium manganate(VII) solution to turn from purple to colourless?

..... [1]

(iv) Which **ion** in iron(III) chloride solution causes potassium iodide solution to turn from colourless to brown?

..... [1]

(v) Which **ion** in iron(II) chloride solution causes acidified potassium manganate(VII) solution to turn from purple to colourless?

..... [1]

[Total: 18]