

MARK SCHEME for the May/June 2014 series

9700 BIOLOGY

9700/51

Paper 5 (Planning, Analysis and Evaluation),
maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	51

Mark scheme abbreviations:

;	separates marking points
/	alternatives answers for the same point
R	reject
A	accept (for answers correctly cued by the question, or extra guidance)
AW	alternative wording (where responses vary more than usual)
<u>underline</u>	actual word given must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
ecf	error carried forward
I	ignore
mp	marking point (with relevant number)

Page 3	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	51

Question	Expected answer	Extra guidance	Mark
1 (a) (i)	<p>any 2 of: RNA probe / RNA / probe / it / they, is single stranded / has exposed, bases / nucleotides ;</p> <p><i>idea of</i> complementary bases / base pairs, (between, RNA probe / RNA / probe / it, and DNA) ;</p> <p><i>idea that</i> different RNA probes / AW, base pair with, different / specific sticky ends (of DNA) ;</p>	<p>A unpaired / available, bases / nucleotides I free bases</p> <p>A <i>idea of</i> (hydrogen) bonding / binding, between, complementary base pairs / named base pairs / bases / nucleotides / codons</p>	[max 2]
(ii)	<p>any 2 of: <i>idea that</i> genetic variation is due to, mutation / small differences in base sequence / small or single change in nucleotide (pairs) (of DNA) ;</p> <p>ref. to point mutations ;</p> <p><i>idea that</i> small pore size of gel allows separation of variant fragments ;</p>	<p>A examples, e.g. substitution, deletion, insertion, addition I inversion A descriptions in terms of, altered, allele / protein / polypeptide (sequence) / amino acid (sequence) I gene / phenotype</p>	[max 2]
(b)	<p>any 5 of: ref. to making / using, agarose (gel) ;</p> <p>ref. to using, wells / channels / chamber / AW, to place samples ;</p> <p>sample / wells, placed at / connected to, negative electrode / cathode / negative end (of the gel) ; ora.</p>	<p>A from diagrams as appropriate A agrose / agar / (poly)acrylamide R starch gel I support used, e.g. microscope slide A e.g. pits / slits / chambers / use of comb / holes / AW</p> <p>A in / on / near / AW</p>	

Page 4	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	51

Question	Expected answer	Extra guidance	Mark
	<p>ref. to any detail of adding samples (to wells) ; e.g. adding (loading) dye or stain, to each sample / adding glycerine to sink DNA / use of <u>micropipette</u> or capillary tube / e.g. of care in loading such as preventing sideways movement / putting different DNA sample in different wells / using separate (micro)pipettes or tips or capillaries.</p> <p>ref. to adding, buffer ;</p> <p>ref. to applying potential difference / voltage difference ;</p> <p>ref. to a method of staining and observing the DNA ;</p> <p>ref. to hazard and suitable safety precaution ;</p>	<p>A Gilson / Finnpiquette as a micropipette I any specified volumes</p> <p>A ref. to current (between electrodes). A any description of connecting or applying a current or using a battery (to supply a current) or using a direct current I electricity or power unqualified / charge / electrons</p> <p>e.g using UV or fluorescent light and staining the DNA / using pre-stained gels. Stains need not be named, but must be correct if given, e.g. methylene blue / ethidium bromide / crystal violet / sybr green / acridine orange / fluorescien / AW A idea of DNA samples that are radioactive (at start) and autoradiograph (either directly from gel or indirectly from transfer) or take X-ray I radioactive or fluorescent RNA probes / Southern blotting</p> <p>e.g. electrical and not touching connectors with wet hands or wear gloves stains / named stains / buffer, toxic / irritant / harmful and wear gloves / goggles / mask UV light and goggles A allergy to stains / gel / buffer and wear, gloves / mask / goggles I low risk</p>	[max 5]

Page 5	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	51

Question	Expected answer	Extra guidance	Mark
(c)	<p>any 2 of:</p> <p>volume of, DNA / sample, (added to the wells) ;</p> <p><i>idea of</i> time / distance, allowed for the samples to run (on the gel) / AW ;</p> <p>pH / (type of) buffer / electrolyte ;</p> <p>volume of buffer / enough buffer to cover gel ;</p> <p>voltage difference used for the electrophoresis ;</p> <p>type of stain / time allowed for staining ;</p> <p>type / thickness / consistency / volume / density / concentration / composition / pore size / permeability, of gel ;</p> <p>restriction enzymes used ;</p> <p>temperature ;</p>	<p>I size of wells</p> <p>I mass I amount I volume of genes</p> <p>I distance between anode and cathode / time unqualified</p> <p>current / voltage / amount of voltage or current / charge applied / potential difference / intensity of current.</p> <p>I volume / amount, of stain</p> <p>I amount</p>	[max 2]

Question	Expected answer	Extra guidance	Mark
(d) (i)	<p>an arrow to a row of DNA fragments at the same position for group A and group B and group C ;</p> <p>I extras <i>all must be correct</i></p>	<p>e.g.</p> <p>The image shows two gel electrophoresis patterns. The top pattern is labeled 'group of DNA probes variety'. It has three lanes labeled A, B, and C. In lane A, a solid arrow points to a band. In lane B, a dashed arrow points to a band. In lane C, a dotted arrow points to a band. The bottom pattern also has three lanes labeled A, B, and C. In lane A, a solid arrow points to a band. In lane B, a dashed arrow points to a band. In lane C, a dotted arrow points to a band.</p>	[1]
(ii)	<p>varieties 1 and 2 ;</p> <p>they have, an identical / the same / very similar, pattern (of DNA fragments) ;</p>	<p>I a lot of the same fragments / many fragments same</p> <p>A they have the same (DNA) fragments in common</p> <p>A they are stained in the same parts</p> <p>A the fragments reached the same distance</p>	[2]
[Total: 14]			

Page 7	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	51

Question	Expected answer	Extra guidance	Mark
2 (a) (i)	<p>for one mark, any 2 of:</p> <p>depth, seeds / grains, planted (is the same / 3 cm) ;</p> <p>distance between, seeds / grains (is the same / 25 cm) ;</p> <p>number of / #, seeds / grains ;</p> <p>distance between rows (is, the same / 75 cm) ;</p> <p>size / area / number, of plots ;</p> <p>time plot left before planting / AW ;</p> <p>variety / type / species, of legume ;</p> <p><i>2 correct = 1 mark</i></p>	<p>A fruits</p> <p>A planting depth / depth of seeds</p> <p>I time unqualified</p> <p>A 'only legume used as green manure'</p> <p>I sp of <i>Sorghum</i></p> <p>A ref. to randomising the plots used for each type of manuring</p> <p>I parts of legume being ploughed in</p>	[1]

Page 8	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	51

Question	Expected answer	Extra guidance	Mark
(ii)	any 2 of: rainfall / water / humidity / chance of rain ; temperature ; intensity / duration of (sun)light ; soil qualified ; ; 2 max – one from P and one from Q wind (speed) ; pollution / named pollutant ; carbon dioxide ;	<i>Apply the 'lines rule' from page 2</i> I ref. to climate / weather unqualified I amount throughout I wavelength I exposure to light unqualified but A 'time of exposure to light as AW for duration P depth / fertility / organic content / minerals / humus / nutrients / ions / named minerals, e.g. nitrates / soil pH Q soil water / soil moisture / water potential / soil aeration / soil oxygen conten R microorganisms in soil I pesticide / herbicide as a pollutant unless linked to idea of drift	[max 2]
(iii)	<i>idea that</i> the plant ploughed in / the legume / green manure, (has time to,) decompose / release nutrients / fertilise the soil ;	A to allow nitrification / ammonification / description of decomposition, of green manure / AW I nitrogen fixing I general unqualified responses on 'let it adapt / equilibrate, etc.'	[1]
(iv)	4 / several / many / more than one, replicates of each, type of green manure / treatment / (type of) trial plot ;	I large number of seeds I use of random number generator I 'many experiments going on at same time'	[1]

Page 9	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	51

Question	Expected answer	Extra guidance	Mark
(b) (i)	44 / 44.1 / 44.14 ; ; working: $(\frac{2964}{6715} \times 100 = 44\%)$	A answer up to 2 d.p. 44.1 or 44.14. (not 44.10 / 44.13) <i>max 1 for correct answer with incorrect decimal places</i> A ecf from incorrect subtraction for max 1 max 1 for following working 9679 – 6715 or divisor is the matching control value for chosen figures	[2]
(ii)	3:1 ; ; or $\times 3 ; ;$	answer must be in whole numbers max 1 for following working 782 – 398 / 384 1:3 = one mark 1:3 with qualification (clearly identifying which is roots and which is shoots) = two marks A shoots have 3 × the effect of roots alone	[2]
(c) (i)	there is no <u>significant</u> difference between the (dry) mass of <i>Sorghum</i> grown, with green manure / with treatment, and <i>Sorghum</i> , without green manure / with no treatment / in the control ;	A ref. to ‘roots’ + ‘shoots’ + ‘roots and shoots’ / legume, as AW for green manure R ‘no significant difference between different types of green manure’ – needs to relate to control / no treatment I ‘no significant difference between results of data compared’ I ‘no significant difference between control and other plots’ I ‘insignificant’ for not significant but A non significant	[1]
(ii)	comparing the means (of two sets of data) / data is continuous / data is not discrete / normal distribution ;	<i>If more than one reason given, all must be correct.</i> I number of means	[1]

Page 10	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	51

Question	Expected answer	Extra guidance	Mark
(iii)	<p><i>statistically significant:</i> <i>idea that</i> the (observed) results are caused by, an outside factor / a factor other than chance / the green manure / the treatment ;</p> <p>$P < 0.05$:</p> <p><i>idea that</i> 0.05 means that there is 5% / less than 5% chance of obtaining the (observed) results by chance ;</p> <p>or</p> <p><i>idea of</i> 95% or more certain that the (observed) results are caused by an outside effect ;</p>	<p>A ref. to 'roots' + 'shoots' + 'roots and shoots' / legume (use), instead of 'green manure'</p> <p>A the results are not due to chance</p> <p>I difference is, more than / higher than, the critical value</p> <p>I reject the null hypothesis</p> <p>I random / systematic error</p> <p>A there is a 1 in 20 chance of the results being caused by chance / not caused by another factor ora</p> <p>A ref. to 'roots' + 'shoots' + 'roots and shoots' / legume as AW for green manure</p> <p>I random / systematic error</p>	[2]

Page 11	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2014	9700	51

Question	Expected answer	Extra guidance	Mark
(d)	<p>any 3 of:</p> <p>mp1 <i>idea that</i> green manuring / it / AW, increases the (dry) mass of, shoots / roots / grain / whole plant / <i>Sorghum</i> ;</p> <p>mp2 (legume) shoots cause a greater / increase in (dry) mass than (legume) roots ;</p> <p>mp3 (legume) ‘shoots and roots’ cause greater / more, increase in (dry) mass than, shoots / roots, alone ; ora</p> <p>or</p> <p>(legume) ‘shoots and roots’ cause greatest / most, increase in (dry) mass ;</p> <p>mp4 (legume) ‘shoots and roots’ cause a significant, increase / difference / effect, in (dry mass of), <i>Sorghum</i> / the plant / each different part / AW (of <i>Sorghum</i>) ;</p> <p>mp5 (legume) shoots (only) caused a significant, increase / difference / effect, in, (dry mass of), grain / whole plant ;</p> <p>mp6 (legume) roots (alone) do not cause any significant increase / difference / effect, in (dry mass) ;</p>	<p>A yield / growth, for increase of (dry) mass</p> <p>mp1 a general point from Table 2.1</p> <p>mp1 A ‘roots’ + ‘shoots’ + ‘roots and shoots’ / ‘treatment’ / it / legume, as AW for ‘green manure’</p> <p>mp1 A ora – no, green manure / AW, shows the lowest (dry) mass of shoots / roots / grain / whole plant, (of <i>Sorghum</i>)</p> <p>mp2 and mp3 need a comparative statement / idea</p> <p>mp4, mp5 and mp6 need a ref. to significance I ref. to chance / insignificance</p>	[max 3]
			[Total: 16]