

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International Advanced Subsidiary and Advanced Level

## **MARK SCHEME for the October/November 2014 series**

### **9700 BIOLOGY**

**9700/31**

Paper 3 (Advanced Practical Skills 1), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge International AS/A Level – October/November 2014</b>	<b>9700</b>	<b>31</b>

Mark scheme abbreviations:

<b>;</b>	separates marking points
<b>/</b>	alternative answers for the same point
<b>R</b>	reject
<b>A</b>	accept (for answers correctly cued by the question, or by extra guidance)
<b>AW</b>	alternative wording (where responses vary more than usual)
<b><u>underline</u></b>	actual word given must be used by candidate (grammatical variants accepted)
<b>max</b>	indicates the maximum number of marks that can be given
<b>ora</b>	or reverse argument
<b>mp</b>	marking point (with relevant number)
<b>ecf</b>	error carried forward
<b>I</b>	ignore

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – October/November 2014	9700	31

- 1 (a) (i) at least four further concentrations of **E + %** ;  
for at least 3 concentrations of **E** correct volumes of **E + cm<sup>3</sup>** ;  
for at least three concentrations final volumes add up to **10 + cm<sup>3</sup>** ; [3]
- (ii) as concentration of **E** increases the time taken to reach the end-point decreases ; [1]
- (iii) at high enzyme concentration more ESCs/more substrate binds  
or  
at low enzyme concentration less ESCs/less substrate binds ; [1]
- (iv) replace enzyme/**E** with water/**W** ; [1]
- (v) 1 organised into table with all columns separated by a line + all headings underlined ;  
2 headings (top or to left of data) % concentration of **E +**  
(any column/row headed) time/seconds ;  
3 records lowest concentration first + whole seconds ;  
4 highest concentration recorded in shorter time than next concentration ;  
5 results for control as 'more than 300' ; [5]
- (vi) 1 divided by result for 5% **E** to correct number of significant figures ; [1]
- (vii) (dependent variable) colour or end-point + idea of judging/determining ; [1]
- (viii)  $\pm$  + half smallest division + **cm<sup>3</sup>** ; [1]
- (b) 1 at least 5 temperatures ;  
2 narrower range of temperatures around optimum/uses optimum temperature ;  
3 use thermostatically-controlled water-bath ;  
4 temperature of milk (**M**) equilibrated (before **E** added) ; [max 3]

[Total: 17]

- 2 (a) (i) at least 4 lines + size at least 60 mm across radius + no shading ;  
no cells drawn + correct sector drawn ;  
shows one outer vascular bundle at least twice the size of other outer vascular bundle ;  
label + line to vascular bundle ; [4]
- (ii) 1 at least 3 cells + size at least 50 mm across largest cell at widest point + sharp continuous lines ;  
2 only 3 cells drawn + each of the cells touching each other ;  
3 cells walls drawn as double lines with middle lamella between ;  
4 one complete intercellular space visible between cells ;  
5 label + line to cell wall ; [5]
- (b) (i) measures scale bar within range (13 – 15mm) + mm + to 0.5 ;  
shows conversion of scale bar measurement to  $\mu\text{m} \times 1000$  ;  
measurement of scale bar  $\div$  scale + rounds to whole number ; [3]
- (ii) 1 organise as table with 3 columns headed feature + J1 + Fig. 2.2 ;  
2 only observable differences recorded ;  
*max 2 for differences:*

mp	point of comparison	J1	Fig 2.2
3	shape of stem	bumps less pronounced	8 pronounced bumps ;
4	vascular bundles xylem vessels	4 rings xylem vessels larg(er)	1 ring xylem vessels small(er) ;
5	gaps in stem	present	absent ;
6	central tissue/pith	spaces present/ not filled with cells	no spaces/ filled with cells ;
7	cortex	not thickened	thickened cells ;

[max 4]

<b>Page 5</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge International AS/A Level – October/November 2014</b>	<b>9700</b>	<b>31</b>

- (c) (i) 1 (x-axis sucrose concentration / mol dm<sup>-3</sup>  
+ (y-axis) change in distance between cut ends / mm ;
- 2 (x-axis) 0.2 to 2 cm + labelled each 2 cm (except origin and 0.8)  
+ (y-axis) 2 to 2 cm + labelled each 2 cm (except -4 and +4) + plus and minus shown ;
- 3 correct plotting of five points as small cross or dot in circle or cross ;
- 4 five plots + ruled lines exactly point to point or line of best fit + sharp line ; [4]
- (ii) reference to water movement ;
- at 0.0 mol dm<sup>-3</sup> water enters + at 0.8 mol dm<sup>-3</sup> water leaves ;
- no net water movement where line intercepts x-axis ; [3]

**[Total: 23]**