MARK SCHEME for the October/November 2010 question paper

for the guidance of teachers

9702 PHYSICS

9702/51

Paper 5 (Planning, Analysis and Evaluation), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

GCE A/AS LEVEL - October/November 2010 9702 51 Planning (15 marks) Defining the problem (3 marks) P1 f is the independent variable and V is the dependent variable or vary f and measure V P1 Keep the current in coil X constant P3 Keep the number of turns on coil (Y)/area of coil Y constant Do not credit reference to coil X only. Methods of data collection (5 marks) M1 Two independent coils labelled X and Y. M2 Alternating power supply/signal generator connected to coil X in a workable circuit. M3 Coil Y connected to voltmeter/c.r.o. in a workable circuit. M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep current constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of V against f. A2 Relationship valid if straight line through origin Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must m to hot coils. M2 J1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). M2 Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × y-gain. M2 Avoid other alternating magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence f. M2 Use or one (to increase emf). 3. Detail on measuring frequency	Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
 Defining the problem (3 marks) P1 <i>f</i> is the independent variable and <i>V</i> is the dependent variable or vary <i>f</i> and measure <i>V</i> P2 Keep the <u>current</u> in coil X <u>constant</u> P3 Keep the number of turns on coil (Y)/area of coil Y <u>constant</u> Do not credit reference to coil X only. Methods of data collection (5 marks) M1 Two independent coils labelled X and Y. M2 Alternating power supply/signal generator connected to coil X in a workable circuit. M3 Coil Y connected to voltmeter/c.r.o. in a workable circuit. M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep <u>current</u> constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of V against <i>f</i>. A2 Relationship valid if straight line through origin Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must re to hot coils. Must re 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × <i>y</i>-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency for c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 		GCE A/AS LEVEL – October/November 2010	9702	51
 P1 <i>f</i> is the independent variable and <i>V</i> is the dependent variable or vary <i>f</i> and measure <i>V</i> P2 Keep the <u>current</u> in coil X <u>constant</u> P3 Keep the number of turns on coil (Y)/area of coil Y <u>constant</u> Do not credit reference to coil X only. Methods of data collection (5 marks) M1 Two independent coils labelled X and Y. M2 Alternating power supply/signal generator connected to coil X in a workable circuit. M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep <u>current</u> constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of V against <i>f</i>. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must not hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 3. Detail on measuring emf e.g. height × <i>y</i>-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 	Planning (1	l5 marks)		
 P2 Keep the <u>current</u> in coil X <u>constant</u> P3 Keep the number of turns on coil (Y)/area of coil Y <u>constant</u> Do not credit reference to coil X only. Methods of data collection (5 marks) M1 Two independent coils labelled X and Y. M2 Alternating power supply/signal generator connected to coil X in a workable circuit. M3 Coil Y connected to voltmeter/c.r.o. in a workable circuit. M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep <u>current</u> constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of V against f. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must re to hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × <i>y</i>-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence f. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 	Defining th	e problem (3 marks)		
 P3 Keep the number of turns on coil (Y)/area of coil Y constant Do not credit reference to coil X only. Methods of data collection (5 marks) M1 Two independent coils labelled X and Y. M2 Alternating power supply/signal generator connected to coil X in a workable circuit. M3 Coil Y connected to voltmeter/c.r.o. in a workable circuit. M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep current constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of V against <i>f</i>. A2 Relationship valid if straight line through origin Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must re to hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × y-gain. 4. Avoid other alternating magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 			r vary <i>f</i> and mea	
 Do not credit reference to coil X only. Methods of data collection (5 marks) M1 Two independent coils labelled X and Y. M2 Alternating power supply/signal generator connected to coil X in a workable circuit. M3 Coil Y connected to voltmeter/c.r.o. in a workable circuit. M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep <u>current</u> constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of V against f. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must re to hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × y-gain. 4. Avoid other alternating magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence f. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 				[
 Methods of data collection (5 marks) M1 Two independent coils labelled X and Y. M2 Alternating power supply/signal generator connected to coil X in a workable circuit. M3 Coil Y connected to voltmeter/c.r.o. in a workable circuit. M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep <u>current</u> constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of V against f. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must reto hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × y-gain. 4. Avoid other alternating magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence f. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 				r
 M1 Two independent coils labelled X and Y. M2 Alternating power supply/signal generator connected to coil X in a workable circuit. M3 Coil Y connected to voltmeter/c.r.o. in a workable circuit. M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep <u>current</u> constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of V against <i>f</i>. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must reto hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × y-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 	Do not	credit reference to coll X only.		[
 M2 Alternating power supply/signal generator connected to coil X in a workable circuit. M3 Coil Y connected to voltmeter/c.r.o. in a workable circuit. M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep <u>current</u> constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of <i>V</i> against <i>f</i>. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must reto hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × y-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 				
 M3 Coil Y connected to voltmeter/c.r.o. in a workable circuit. M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep <u>current</u> constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of V against <i>f</i>. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must reto hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × <i>y</i>-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 				[
 M4 Use c.r.o. to determine period/frequency or read off signal generator. M5 Method to keep <u>current</u> constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of <i>V</i> against <i>f</i>. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must reto hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × y-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 			n a workable circ	-
 M5 Method to keep <u>current</u> constant in coil X: adjust signal generator/use of rheostat. Method of analysis (2 marks) A1 Plot a graph of V against f. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must reto hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include Use large current in coil X/large number of coils on coil Y (to increase emf). Detail on measuring emf e.g. height × y-gain. Avoid other <u>alternating</u> magnetic fields. Detail on measuring frequency from c.r.o. to determine period and hence f. Use of ammeter/c.r.o. and resistor to check current is constant Use insulated wire for coils. 			orator	[
 Method of analysis (2 marks) A1 Plot a graph of V against <i>f</i>. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must reto hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include Use large current in coil X/large number of coils on coil Y (to increase emf). Use iron core (to increase emf). Detail on measuring emf e.g. height × y-gain. Avoid other <u>alternating</u> magnetic fields. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. Use of ammeter/c.r.o. and resistor to check current is constant Use insulated wire for coils. 				[at. [
 A1 Plot a graph of V against f. A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must reto hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × <i>y</i>-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 		i to hoop <u>ourronn</u> conclant in con yn ddjuot olginal gonora		
 A2 Relationship valid if straight line <u>through origin</u> Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must reto hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × <i>y</i>-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 				
 Safety considerations (1 mark) S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must reto hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × <i>y</i>-gain. 4. Avoid other alternating magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 				[
 S1 Reference to hot coils – switch off when not in use/use gloves/do not touch coils. Must re to hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include Use large current in coil X/large number of coils on coil Y (to increase emf). Use iron core (to increase emf). Detail on measuring emf e.g. height × <i>y</i>-gain. Avoid other <u>alternating</u> magnetic fields. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. Use of ammeter/c.r.o. and resistor to check current is constant Use insulated wire for coils. 	AZ Relatio	nship valid il straight line <u>through origin</u>		[
 to hot coils. Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × <i>y</i>-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 				
 Additional detail (4 marks) D1/2/3/4 Relevant points might include 1. Use large current in coil X/large number of coils on coil Y (to increase emf). 2. Use iron core (to increase emf). 3. Detail on measuring emf e.g. height × <i>y</i>-gain. 4. Avoid other <u>alternating</u> magnetic fields. 5. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. 6. Use of ammeter/c.r.o. and resistor to check current is constant 7. Use insulated wire for coils. 			/do not touch coi	
 D1/2/3/4 Relevant points might include Use large current in coil X/large number of coils on coil Y (to increase emf). Use iron core (to increase emf). Detail on measuring emf e.g. height × <i>y</i>-gain. Avoid other <u>alternating</u> magnetic fields. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. Use of ammeter/c.r.o. and resistor to check current is constant Use insulated wire for coils. 	to hot c	oils.		[
 Use large current in coil X/large number of coils on coil Y (to increase emf). Use iron core (to increase emf). Detail on measuring emf e.g. height × <i>y</i>-gain. Avoid other <u>alternating</u> magnetic fields. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. Use of ammeter/c.r.o. and resistor to check current is constant Use insulated wire for coils. 	Additional	detail (4 marks)		
 Use iron core (to increase emf). Detail on measuring emf e.g. height × <i>y</i>-gain. Avoid other <u>alternating</u> magnetic fields. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. Use of ammeter/c.r.o. and resistor to check current is constant Use insulated wire for coils. 	D1/2/3/4 Re	levant points might include		[
 Use iron core (to increase emf). Detail on measuring emf e.g. height × <i>y</i>-gain. Avoid other <u>alternating</u> magnetic fields. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. Use of ammeter/c.r.o. and resistor to check current is constant Use insulated wire for coils. 	1. Us	e large current in coil X/large number of coils on coil Y (to increase emf).	
 Avoid other <u>alternating</u> magnetic fields. Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. Use of ammeter/c.r.o. and resistor to check current is constant Use insulated wire for coils. 			,	
 Detail on measuring frequency from c.r.o. to determine period and hence <i>f</i>. Use of ammeter/c.r.o. and resistor to check current is constant Use insulated wire for coils. 				
 Use of ammeter/c.r.o. and resistor to check current is constant Use insulated wire for coils. 				
7. Use insulated wire for coils.				
			stant	
	0. 10			

[Total: 15]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE A/AS LEVEL – October/November 2010	9702	51

2 Analysis, conclusions and evaluation (15 marks)

Part	Mark	Expected Answer	Additional Guidance
(a)	A1	Gradient = <i>b</i> <i>y</i> -intercept = lg <i>a</i>	Allow log <i>a</i> but not ln <i>a</i>
(b)	T1 T2	1.97770.292 or 0.29231.92940.265 or 0.26481.87510.241 or 0.24051.81290.210 or 0.20951.74040.170 or 0.17031.65320.127 or 0.1271	T1 for lg <i>l</i> column – ignore rounding errors; min 2 dp. T2 for lg <i>T</i> column – must be values given A mixture is allowed
	U1	From \pm 0.004 or \pm 0.005 to \pm 0.006 or \pm 0.007	Allow more than one significant figure.
(c) (i)	G1	Six points plotted correctly	Must be within half a small square; penalise \geq half a small square. Penalise 'blobs' \geq half a small square. Ecf allowed from table.
	U2	Error bars in lg (<i>T</i> /s) plotted correctly.	All error bars must be plotted. Check first and last point. Must be accurate within half a small square; penalise \geq half a small square.
(ii)	G2	Line of best fit	If points are plotted correctly then lower end of line should pass between (1.65, 0.124) and (1.65, 0.128) and upper end of line should pass between (2.00, 0.300) and (2.00, 0.306). Allow ecf from points plotted incorrectly; five trend plots needed – examiner judgement.
	G3	Worst acceptable straight line. Steepest or shallowest possible line that passes through <u>all</u> the error bars.	Line should be clearly labelled or dashed. Should pass from top of top error bar to bottom of bottom error bar or bottom of top error bar to top of bottom error bar. Mark scored only if all error bars are plotted.
(iii)	C1	Gradient of best fit line	The triangle used should be at least half the length of the drawn line. Check the read offs. Work to half a small square; penalise \geq half a small square.
	U3	Uncertainty in gradient	Method of determining absolute uncertainty Difference in worst gradient and gradient.
(iv)	C2	<i>y</i> -intercept	Must be negative. Check substitution of point from line into $c = y - mx$. Allow ecf from (c)(iii).

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE A/AS LEVEL – October/November 2010	9702	51

	U4	Uncertainty in <i>y</i> -intercept	Method of determining absolute uncertainty Difference in worst <i>y</i> -intercept and <i>y</i> -intercept. Do not allow ecf from false origin read-off (FOX). Allow ecf from (c)(iv) .
(d)	C3	$a = 10^{y-intercept}$	<i>y</i> -intercept must be used. Expect an answer of about 0.19. If FOX expect answer of about 1.3.
	C4	<i>b</i> = gradient <u>and</u> in the range 0.495 to 0.520 <u>and</u> to 2 or 3 sf	Allow 0.50 to 0.52 to 2 sf Penalise 1 sf or ≥4 sf
	U5	Absolute uncertainty in <i>a</i> and <i>b</i>	Difference in <i>a</i> and worst <i>a</i> . Uncertainty in <i>b</i> should be the same as the uncertainty in the gradient.

[Total: 15]

Uncertainties in Question 2

(c) (iii) Gradient [U3]

- Uncertainty = gradient of line of best fit gradient of worst acceptable line 1.
- 2. Uncertainty = 1/2 (steepest worst line gradient – shallowest worst line gradient)

(c) (iv) [U4]

- 1. Uncertainty = y-intercept of line of best fit y-intercept of worst acceptable line
- 2. Uncertainty = $\frac{1}{2}$ (y-intercept of steepest worst line – y-intercept of shallowest worst line)

(d) [U5] 1. Uncertainty = 10 ^{best y-intercept} - 10 ^{worst y-intercept}