

Mark Scheme (Results)

Summer 2012

GCSE Physics
5PH2F/01

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at:

www.pearson.com/uk

Summer 2012

Publications Code UG033057

All the material in this publication is copyright

© Pearson Education Ltd 2012

GCSE Physics 5PH2F/01 Mark Scheme – Summer 2012

Question Number	Answer	Acceptable answers	Mark
1(a)	20(m)	value between 18 and 22	(1)

Question Number	Answer	Acceptable answers	Mark
1(b)	substitution (1) 100/9.8 evaluation (1) 10 unit (1) m/s	Accept 10.2 give 2 marks for correct answer, no working accept for 1 mark 9.65 or 9.7 mps	(3)

Question Number	Answer	Acceptable answers	Mark
1(c)	An explanation linking the following points <ul style="list-style-type: none"> • speed changes (1) • (because) slower to begin with / faster at the end (1) 	not the same speed throughout slows down <u>after 100 m</u> he speeds up=2	(2)

Question Number	Answer	Acceptable answers	Mark
1(d)(i)	B slowing down		(1)

Question Number	Answer	Acceptable answers	Mark
1(d)(ii)	D speed in a stated direction		(1)

Question Number	Answer	Acceptable answers	Mark
2(a)	<p style="text-align: center;">letter particle</p> <p>Three lines correct 2 marks One / two correct 1 mark</p>	if two lines from a box reject mark for that box	(2)

Question Number	Answer	Acceptable answers	Mark
2(b)(i)	<p>An explanation linking one of the following pairs</p> <p>Either</p> <ul style="list-style-type: none"> • loss of a negative (1) • electron (1) <p>Or</p> <ul style="list-style-type: none"> • hair's repel (1) • (because) like charges repel (1) 	<p>Allow explanation linking any two</p> <p>electron rubbed off (hair) = 2</p> <p>(hair) stands on end</p> <p>opposite charges on hair and comb attract = 1</p>	(2)

Question Number	Answer	Acceptable answers	Mark
2(b)(ii)	B a conductor		(1)

Question Number	Answer	Acceptable answers	Mark
2(b)(iii)	<p>An explanation linking three of the following points</p> <ul style="list-style-type: none"> • paper is picked up (1) • charged objects attract uncharged (1) • charges separate on paper (1) • opposite charges attract (1) • weight is less than electrostatic force (1) 	<p>paper becomes positively charged</p> <p>paper is light</p>	(3)

Question Number	Answer	Acceptable answers	Mark
3(a)(i)	(force of) water (on ski)	air resistance/drag ignore wind/unqualified friction	(1)


Question Number	Answer	Acceptable answers	Mark
3(a)(ii)	substitution (1) 500 – 300 evaluation (1) 200 (N)	give full marks for correct answer, no working	(2)


Question Number	Answer	Acceptable answers	Mark
3(a)(iii)	to the right	forward/direction skier is travelling/towards the boat	(1)

Question Number	Answer	Acceptable answers	Mark
3(b)(i)	B J		(1)

Question Number	Answer	Acceptable answers	Mark
3(b)(ii)	substitution (1) $54 \times 10 \times 5$ evaluation (1) 2700	Ignore unit (J) even incorrect give full marks for correct answer, no working	(2)

Question Number	Answer	Acceptable answers	Mark
3(b)(iii)	A description including two of the following points <ul style="list-style-type: none"> • (some) KE at the ramp (1) • is transferred to GPE at top (1) • still has some KE at top (1) • some energy lost due to air resistance (1) 	KE to GPE for 1 mark air friction	(2)

Question Number	Answer	Mark
4(a)(i)	 <p>The diagram shows four circuit symbols in boxes. The top box contains a lamp symbol (a circle with an 'X' inside). A line connects a dot on the left side of this box to a dot on the left side of a battery symbol (two parallel lines of unequal length) in the second box. The bottom box contains a fixed resistor symbol (a rectangle). A line connects a dot on the left side of this box to a dot on the left side of a variable resistor symbol (a rectangle with a diagonal arrow through it) in the fourth box.</p>	(2)

Question Number	Answer	Acceptable answers	Mark
4(a)(ii)	 <p>The diagram shows a complete circuit. At the top is a cell. On the left vertical wire is an ammeter labeled 'A'. At the bottom horizontal wire, there is a wavy line representing a wire, with a label 'wire' pointing to it. A voltmeter labeled 'V' is connected in parallel across the wire. On the right vertical wire is a variable resistor symbol (a rectangle with a diagonal arrow through it).</p> <p>ammeter in series (1) voltmeter in parallel (1)</p>	<p>'A' clearly in series with wire and cell anywhere on a complete circuit diagram</p> <p>'V' in parallel with wire only / wire and 'A'</p>	(2)

Question Number	Answer	Acceptable answers	Mark
4(b)(i)	straight line drawn through origin and most points	line no thicker than half a cross – no tramlining ignore line after given four points	(1)

Question Number	Answer	Acceptable answers	Mark
4(b)(ii)	point plotted within ½ a small square		(1)

Question Number	Answer	Acceptable answers	Mark
4(b)(iii)	<p>An explanation linking one of the following pairs</p> <p>Either</p> <ul style="list-style-type: none"> taking reading between 0 and 4 V (1) to check the straight line (1) <p>Or</p> <ul style="list-style-type: none"> taking reading between 4 and 7 V (1) to check straight line / confirm curve/find out what happens between 4 and 7 (1) <p>Or</p> <ul style="list-style-type: none"> taking reading greater than 7 V (1) to extend range (1) <p>Or</p> <ul style="list-style-type: none"> repeating reading for 7 V / anomalous result (1) to check that no mistake was made (1) 	read secondary source / compare with other people (1)	(2)

Question Number	Answer	Acceptable answers	Mark
4(b)(iv)	<p>voltage value from graph (1)</p> <p>3.0</p> <p>substitution (1)</p> <p>3.0 / 1.5</p> <p>evaluation (1)</p> <p>2.0 (Ω)</p>	<p>3</p> <p>3/1.5</p> <p>2</p> <p>give full marks for correct answer, no working</p> <p>accept 1.6 for 2 marks (ecf if 2.5 from graph)</p>	(3)

Question Number	Answer	Acceptable answers	Mark
5(a)(i)	27 (1) 33 (1)	accept 33 27 for 1 mark	(2)

Question Number	Answer	Acceptable answers	Mark
5(a)(ii)	A an electron		(1)

Question Number	Answer	Acceptable answers	Mark
5(a)(iii)	<p>A description including three of the following points</p> <ul style="list-style-type: none"> • beta (radiation) is electron(s) (1) • beta has mass (1) • beta has (negative) charge (1) • beta is a better ioniser (1) • beta is less penetrating (1) • gamma radiation is electromagnetic (1) • wave (1) • gamma travels at a speed of light (1) • gamma is just energy (1) 	<p>Allow ORA where applicable</p> <p>allow em for electromagnetic</p> <p>ignore uses</p>	(3)

Question Number	Indicative Content	Mark
QWC	<p>*5(b)</p> <p>A description including some of the following points</p> <p>Similarities (S):</p> <ul style="list-style-type: none"> • involve nuclei • involve particles colliding • energy released • can cause explosions/rapid release of energy <p>Differences (D):</p> <p>Fission</p> <ul style="list-style-type: none"> • splitting • of heavy nucleus • by neutron • chain reaction • products radioactive • used in power stations at present • rate can be controlled <p>Fusion</p> <ul style="list-style-type: none"> • joining smaller nuclei • to form larger nucleus • occurs in stars • needs very high temperature and/or pressure and/or particle density • because of like charge repulsion 	(6)
Level	0	No rewardable content
1	1 - 2	<ul style="list-style-type: none"> • a limited description including a similarity OR a difference e.g. (S) both release energy OR (D) one is splitting, one is joining. • the answer communicates ideas using simple language and uses limited scientific terminology • spelling, punctuation and grammar are used with limited accuracy
2	3 - 4	<ul style="list-style-type: none"> • a simple description including EITHER one similarity AND one difference OR some differences / similarities e.g.(S) both give out energy but (D) fission uses uranium, fusion uses hydrogen. OR (D)fusion occurs in stars when hydrogen particles join OR (S) both involve nuclei and release energy • the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately • spelling, punctuation and grammar are used with some accuracy
3	5 - 6	<ul style="list-style-type: none"> • a detailed description including EITHER two similarities (or one detailed) AND one difference OR one similarity and two differences (or one detailed) e.g. (S) uranium gives out energy (D) when it is hit by neutrons and energy is released (D) in fusion when (small) nuclei join. • the answer communicates ideas clearly and coherently uses a range of scientific terminology accurately • spelling, punctuation and grammar are used with few errors

Question Number	Answer	Acceptable answers	Mark
6(a)(i)	Any one from the following <ul style="list-style-type: none"> • living things (1) • space (1) • nuclear power stations/accidents (1) • hospitals (1) • industrial processes (1) 	Ignore radon gas from ... another radioactive rock a named radioactive substance eg uranium, radium, plutonium	(1)

Question Number	Answer	Acceptable answers	Mark
6(a)(ii)	B statement 2 only		(1)

Question Number	Answer	Acceptable answers	Mark
6(a)(iii)	An explanation linking two of the following points <ul style="list-style-type: none"> • radon gas comes from rocks (1) • types of rocks vary in different parts of the UK (1) • where there is more (of this type of) rock, the reading is higher (1) 	may be explained in terms of specific places eg Cornwall	(2)

Question Number	Answer	Acceptable answers	Mark
6(b)	A description of a change including the following points <ul style="list-style-type: none"> • used to be thought beneficial (1) • now known to be extremely {dangerous/hazardous} (1) 	{was commonly used (without care)/dangers were not realised} now known to cause cancer now can be used safely {under controlled conditions/medical supervision}	(2)

Question Number	Indicative Content	Mark
QWC	<p>*6(c)</p> <p>A discussion including some of the following points</p> <p>Appropriate type of radiation is chosen</p> <ul style="list-style-type: none"> - some passes through - - β and γ not α - significant change with thickness - - β <p>Half-life</p> <ul style="list-style-type: none"> - reference to half-life - not too long - too much material needed for activity - not too short – expense of replacing regularly - disposal problems <p>Safety issues</p> <ul style="list-style-type: none"> - shielding <ul style="list-style-type: none"> • type of radiation • linked to appropriate material and thickness - security <ul style="list-style-type: none"> • storage of spares • in use - safety procedures / precautions in use 	(6)
Level	0	No rewardable content
1	1 - 2	<ul style="list-style-type: none"> • a limited discussion of one factor with no reasons e.g.(F) penetration / half-life/ safety. • the answer communicates ideas using simple language and uses limited scientific terminology • spelling, punctuation and grammar are used with limited accuracy
2	3 - 4	<ul style="list-style-type: none"> • a discussion linking some of one factor (F) with some reasoning (R) OR two factors e.g. (F) use a source which has a long/short half life (R) with suitable reason OR (F) use radiation which is affected by different thicknesses of paper and (F) mention of half-life. • the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately • spelling, punctuation and grammar are used with some accuracy
3	5 - 6	<ul style="list-style-type: none"> • a detailed discussion of at least two factors with some reasons e.g. (F) use a (beta) radiation which is affected by thickness (R) because others will not penetrate at all (alpha) or will not be {affected / stopped} by paper (gamma) and (F) some discussion of half-life or safety. • the answer communicates ideas clearly and coherently uses a range of scientific terminology accurately • spelling, punctuation and grammar are used with few errors

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UG033057 Summer 2012

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual




Llywodraeth Cynulliad Cymru
Welsh Assembly Government

